



The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Wednesday, January 29, 2014** at 12:15 a.m. Eastern Time. Please [contact NSF International](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=31590&Standard=061&>

### NSF/ANSI 61 Drinking Water System Components - Health Effects

**NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of [Abbreviations used in these Listings](#).**

#### Hydranautics

401 Jones Road  
Oceanside, CA 92054  
United States  
760-901-2656  
[Visit this company's website \(http://www.membranes.com\)](http://www.membranes.com)

**Facility :** Oceanside, CA

#### Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Reverse Osmosis Element</b>			
CPA2[1]	[2]	CLD 23	MLTPL
CPA2 8540[1]	[2]	CLD 23	MLTPL
CPA2 DE[1]	[2]	CLD 23	MLTPL
CPA3[1]	[2]	CLD 23	MLTPL
CPA3 LD[1]	[2]	CLD 23	MLTPL
CPA4[1]	[2]	CLD 23	MLTPL
CPA5[1]	[2]	CLD 23	MLTPL
CPA5 LD[1]	[2]	CLD 23	MLTPL
CPA5 MAX[1]	[2]	CLD 23	MLTPL
CPA5 XLD[1]	[2]	CLD 23	MLTPL
CPA6 LD[1]	[2]	CLD 23	MLTPL
ESNA1-LF[1]	[2]	CLD 23	MLTPL
ESNA1-LF LD[1]	[2]	CLD 23	MLTPL
ESNA1-LF2[1]	[2]	CLD 23	MLTPL
ESNA1-LF2 LD[1]	[2]	CLD 23	MLTPL
ESNA4[1]	[2]	CLD 23	MLTPL

ESNA4-LF[1]	[2]	CLD 23	MLTPL
ESPA1[1]	[2]	CLD 23	MLTPL
ESPA1 8540[1]	[2]	CLD 23	MLTPL
ESPA1 DE[1]	[2]	CLD 23	MLTPL
ESPA2[1]	[2]	CLD 23	MLTPL
ESPA2 8540[1]	[2]	CLD 23	MLTPL
ESPA2 DE[1]	[2]	CLD 23	MLTPL
ESPA2 LD[1]	[2]	CLD 23	MLTPL
ESPA2 MAX[1]	[2]	CLD 23	MLTPL
ESPA2 XLD[1]	[2]	CLD 23	MLTPL
ESPA3[1]	[2]	CLD 23	MLTPL
ESPA4[1]	[2]	CLD 23	MLTPL
ESPA4 LD[1]	[2]	CLD 23	MLTPL
ESPA4 MAX[1]	[2]	CLD 23	MLTPL
ESPAB[1]	[2]	CLD 23	MLTPL
ESPAB MAX[1]	[2]	CLD 23	MLTPL
HYDRACoRe10[1]	[2]	CLD 23	MLTPL
HYDRACoRe50[1]	[2]	CLD 23	MLTPL
HYDRACoRe70[1]	[2]	CLD 23	MLTPL
LFC1[1]	[2]	CLD 23	MLTPL
LFC1-46HP[1]	[2]	CLD 23	MLTPL
LFC3[1]	[2]	CLD 23	MLTPL
LFC3-46HP[1]	[2]	CLD 23	MLTPL
LFC3-LD[1]	[2]	CLD 23	MLTPL
NANO BW[1]	[2]	CLD 23	MLTPL
NANO BW MAX[1]	[2]	CLD 23	MLTPL
NANO SW[1]	[2]	CLD 23	MLTPL
NANO SW MAX[1]	[2]	CLD 23	MLTPL
PROC10[1]	[2]	CLD 23	MLTPL
SWC1[1]	[2]	CLD 23	MLTPL
SWC2[1]	[2]	CLD 23	MLTPL
SWC3[1]	[2]	CLD 23	MLTPL
SWC3+[1]	[2]	CLD 23	MLTPL
SWC4[1]	[2]	CLD 23	MLTPL
SWC4 B[1]	[2]	CLD 23	MLTPL
SWC4 LD[1]	[2]	CLD 23	MLTPL
SWC4 MAX[1]	[2]	CLD 23	MLTPL
SWC4+[1]	[2]	CLD 23	MLTPL
SWC4B MAX[1]	[2]	CLD 23	MLTPL
SWC5[1]	[2]	CLD 23	MLTPL
SWC5 LD[1]	[2]	CLD 23	MLTPL
SWC5 MAX[1]	[2]	CLD 23	MLTPL
SWC6[1]	[2]	CLD 23	MLTPL
SWC6 LD[1]	[2]	CLD 23	MLTPL
SWC6 MAX[1]	[2]	CLD 23	MLTPL

[1] Certification is for a minimum flow of 2,650 liters per day, and is based on flushing the unit for a minimum of 30 minutes at 145-155 psi prior to being placed into service.

[2] Certification is for 8" - 8.44" diameter models only.

#### Ultrafiltration Devices

HYDRAcap[3]	40", 60" and 80"	CLD 23	MLTPL
HYDRAcap° MAX 40[4] [5]	10" x 40"	CLD 23	MLTPL
HYDRAcap° MAX 60[4] [5]	10" x 60"	CLD 23	MLTPL

HYDRAcap° MAX 80[4] [5]

10" x 80"

CLD 23

MLTPL

[3] Certified for a minimum flow of 10,000 gallons per day.

[4] Size is expressed as diameter by length.

[5] Certified for a minimum daily flow of 10,800 gallons (40882 liters).

---

Number of matching Manufacturers is 1

Number of matching Products is 65

Processing time was 0 seconds