

LIST OF APPROVED PRODUCTS for use in Public Water Supply in the United Kingdom

July 2011



guardians of drinking water quality

The logo for the Drinking Water Quality Regulator for Scotland (dwqr) features the lowercase letters 'dwqr' in a blue, sans-serif font. Below the letters is a stylized blue wave graphic.

Drinking Water Quality Regulator
for Scotland



Department for
Regional Development
www.drdni.gov.uk



Department for Environment
Food and Rural Affairs



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

DOCUMENT CONTROL

The only controlled version of this document can be accessed on the DWI Website – www.dwi.gov.uk/drinking-water-products/index.htm. Printed copies of this document, together with electronic copies held on local computers and other storage devices are uncontrolled.

Last updated: 5th July 2011

Errors and corrections:

Please email us if you find any errors or if corrections are needed

Email: reg31.enquiries@defra.gsi.gov.uk

DWI CONTACT DETAILS

Regulation 31 Enquiries, Drinking Water Inspectorate, Area 4a, Ergon House,
Horseferry Road, London, SW1P 2AL.

Tel +44 (0)300 068 6403/5029.

E-mail : Reg31.enquiries@defra.gsi.gov.uk

CONTENTS

	PAGE
1. Background	4
General Definitions	4
Introduction	5
Basis of Approval	5
Products approved under previous regulations	6
Review of Approved Products	6
The Annual List of Approved Products	7
 INTRODUCTION TO THE LIST OF APPROVED PRODUCTS	 8
 PART A – CHEMICALS AND FILTER MEDIA	
Introduction	9
A. 1 Flocculants and Coagulants	10
A.1.1 Products based on tannin	10
A.1.2 Products based on aluminium and iron	10
A.1.3 Products based on iron	10
A.1.4 Products based on polyacrylamide	10
A.1.5 Products based on polyamine	11
A.1.6 Products based on polyDADMAC (Polydiallyldimethyl ammonium chloride)	12
A.1.7 Products based on Aluminium	12
 A. 2 Adsorbents	 12
 A. 3 Ion Exchange Resins Systems	 12
A.3.1 Ion exchange resins	12
A.3.2 Ion exchange resin based processes	13
 A. 4 Disinfestation, Disinfection or Cleaning Agents of Waterworks Apparatus and Distribution Systems	 13
 A. 5 Disinfection or Cleaning Agents of Membranes	 15
 A. 6 Disinfectants for Emergency Use	 16
 A. 7 Products Based on Traditional Chemicals	 17
A.7.1 Traditional Chemicals	17
A.7.2 On-site electrolytic generation of chlorine	17
A.7.3 On-site generation of chlorine dioxide	18
 A. 8 Disinfestation Agents	 18
 A. 9 Other Chemicals	 19
 A.10 Filter Media	 19

PART B – PRODUCTS USED FOR THE CONVEYANCE OF WATER

B. 1	Pipes	20
B.1.1	Polyethylene (PE) pipes	20
B.1.2	Barrier and Laminated pipes	21
B.1.3	Polyvinylchloride (PVC) pipes	22
B.1.4	Acrylonitrile-butadiene-styrene copolymer (ABS)	23
B.1.5	Polyethylene terephthalate (PET)	23
B.1.6	Glass reinforced plastic (GRP) pipes	23
B.1.7	Cement mortar lined pipes	23
	B.1.7.1 Cement mortar lined pipes without seal coat	23
	B.1.7.2 Cement mortar lined pipes with seal coat	24
B.1.8	Pipes coated with factory applied nylon resins	24
B.1.9	Pipes coated with factory applied epoxy resin	24
B.1.10	Stainless steel pipes	25
B.1.11	Coated pipes suitable for total immersion in water	27
B.1.12	Pipes coated with a factory applied polyolefin	27
B.2	Well Casings, Screens and Rising Mains	27
B. 3	Products for Conveyance of Water -Emergency Use	28
B.3.1	Hoses	28
B.3.2	Bowsers/tanks	28
B.3.3	Liner bags	29

PART C – LINING /COATINGS AND SEALANT & REPAIR MATERIALS

C.1	<i>In-situ</i> Installed (tubular) pipe linings	30
C.2	<i>In-situ</i> applied Pipe Coatings	30
C.2.1	Coatings based on epoxy resins	30
C.2.2	Coatings based on polyurethane	30
C.3	Site applied coatings for water retaining structures	31
C.3.1	Coatings based on epoxy resins	31
C.3.2	Coatings based on polyurethane	32
C.3.3	Coatings based on ebonite	32
C.4	Flexible covers and linings for water retaining structures	32
C.5	Cementitious coatings	33
C.6	Sealant & Repair Materials	34

PART D – MEMBRANE AND FILTRATION SYSTEMS

D.1	Membrane and Filtration Elements/Systems	36
D.2	Vessels and Containers for Membrane and Filtration Elements	37

D.3	Electrodialysis Water Treatment Units	38
------------	--	----

PART E – OTHER WATER TREATMENT WORKS INSTALLATIONS

E.1	Tanks	39
------------	--------------	----

E.2	Underdrains	40
------------	--------------------	----

E.3	Pressure vessels	40
------------	-------------------------	----

E.4	Other Products used for the treatment of water	41
------------	---	----

PART F – LOW CONTACT COMPONENTS & PRODUCTS

Introduction		43
---------------------	--	----

ANNEXES

Annex 1 Changes to Approvals and Amendments to the List of Approved Products

1.1	Modified conditions of approval	44
1.2	List of products refused approval	44
1.3	Prohibition of use of substances and products	44
1.4	Revocation of approval	44
1.5	Approval of processes	45
1.6	Deletions from the list of approved products in the last twelve months	45
1.6.1	Products deleted because they are no longer supplied or their approval has lapsed	45
1.6.2	Products deleted because they are covered by a BS EN	45
1.7	Changes in ownership or designation of approved products in the last twelve months	46
1.7.1	Change in company name or ownership	46
1.7.2	Change in product designation	46
1.8	Additional Products added to the List in the last twelve months (which have been consolidated into the main text of this list)	47
1.8.1	New products approved in the last twelve months	47
1.8.2	Reinstated products	47
1.9	Changes to existing products in the last twelve months	48
1.10	New and revised BS EN standards issued in the last twelve months	49

Annex 2 List of Relevant European Standards and authorised Components

2.1	British standards (BS EN) for chemicals used for treatment of water	50
2.2	British Standards (BS EN) for products used for treatment of water	61
2.3	British Standards (BS EN) on the influence of Materials on water	64
2.4	List of Authorised Cement Admixtures	65

Annex 3 Recognised materials for use in the manufacture or assembly of products

Annex 4	Manufacturers' and suppliers' addresses	67
----------------	--	----

BACKGROUND

GENERAL DEFINITIONS

The relevant regulations (for public drinking water suppliers)

The following regulations apply to the approval of substances and products used in the provision of public water supplies within the United Kingdom:

- a) **England** - Regulation 31 of The Water Supply (Water Quality) Regulations 2000 (Statutory Instruments 2000 No 3184) – http://www.dwi.gov.uk/stakeholders/legislation/ws_wqregs2000.pdf
- b) **Wales** – Regulation 31 of The Water Supply (Water Quality) Regulations 2001 (Welsh Statutory Instrument 2001 No 3911 (W.323) – <http://www.opsi.gov.uk/legislation/wales/wsi2001/20013911.htm>
- c) **Scotland** – Regulation 27 of The Water Supply (Water Quality) (Scotland) Regulations 2001 – <http://www.opsi.gov.uk/legislation/scotland/ssi2001/20010207.htm>
- d) **Northern Ireland** – Regulation 30 of The Water Supply (Water Quality) (Amendment) Regulations (Northern Ireland) 2009 (Statutory Rules of Northern Ireland 2009 No.246) - http://www.opsi.gov.uk/sr/sr2009/nisr_20090246_en_1

Where reference is required to specific regulatory requirements, these are given in footnotes.

The Authorities

Under the relevant regulations water suppliers shall not apply or introduce any substance or product into public water supplies unless the requirements of the relevant regulations are met. One of these requirements is that the substance or product has been **approved** by either the Secretary of State for the Environment Food and Rural Affairs (England), the National Assembly for Wales (Wales), the Northern Ireland Assembly (Northern Ireland) or the Scottish Ministers (Scotland) – collectively referred to as “the Authorities”.

The List

Under the relevant regulations lists of all the substances and products approved or refused, and of all approvals revoked or modified are published at least once a year –

- **England and Wales** – **this list is regularly updated by DWI throughout the year, and includes details of changes to approved products and additions to the List; this list (the List of Products for use in Public Water supply in the United Kingdom) is posted on the DWI website:** <http://www.dwi.gov.uk/drinking-water-products/approved-products/soslistcurrent.pdf>
- **Scotland** – a list is published annually by the Scottish Government on their website: <http://www.scotland.gov.uk/Publications/>
- **Northern Ireland** – in due course the Department for Regional Development (Northern Ireland) will also publish a list.

The approval of a product

Approval is based upon consideration as to whether the use of a substance or product will adversely affect the quality of the water supplied, or cause a risk to the health of consumers; no consideration is given to fitness for purpose and approval by the Authorities must not be taken as a favourable assessment of the performance or merits of any substance or product. It is the responsibility of the end user to ensure fitness for purpose.

The approval process for general products used with water intended for human consumption is set out in Advice Sheet 1. (<http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet1.pdf>). Relevant deviations from this process are set out in the appropriate Advice Sheets.

Water suppliers

These include water undertakers, inset appointees, and combined licensees - see The Water Act 2003 (Consequential and Supplementary Provisions) Regulations 2005, together with private drinking water suppliers.

INTRODUCTION

The products in this list have only been assessed for safety for use in water supplies; they have not been assessed for fitness for purpose, or for use in buildings. The Water Regulations Advisory Scheme (WRAS) operates a specific approval scheme for products used in buildings - <http://www.wras.co.uk/Directory/>

Section 69 of the Water Industry Act 1991, as amended by the Water Act 2003, gave the Secretary of State for the Environment, Food and Rural Affairs and the National Assembly for Wales powers to make regulations controlling substances, processes and/or products that are used in the treatment and provision of public water supplies. Section 76B of the Water (Scotland) Act 1980 gives Scottish Ministers similar powers.

The Drinking Water Inspectorate (DWI) carries out the approval process for the Authorities for the whole of the United Kingdom, under the relevant Regulations. DWI accepts applications for approval of products used both before and the treatment works, and in water distribution systems up to the point of delivery to premises.

The relevant regulations concern the introduction of substances and products (including construction products) and processes for use in the treatment and provision of drinking water supplies. They implement the requirements of Article 10 of the European Union Directive 98/83/EC on the quality of water intended for human consumption, in respect to substances and materials used in the preparation and distribution of water up to the point of delivery to premises. They do not transpose the requirements of the Directive with regard to the premises (water supply systems within buildings). In England and Wales these requirements are dealt with by the water industry Water Regulations Advisory Scheme (WRAS) under the Water Supply (Water Fittings) Regulations 1999. In Scotland these are dealt with by Scottish Water's Water Byelaws 2004.

Under the relevant regulations drinking water suppliers shall not apply or introduce any substance or product into public drinking water supplies unless the requirements of the relevant regulations are met.

Processes coming under these requirements are NOT included in this publication. For further details please see Regulation 32.

Further information on how applications for approval are dealt with by the DWI are given in Advice Sheet 1 <http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet1.pdf>

When assessing applications for approval, DWI relies on the expertise of its Inspectors and expert advisers who are experienced in toxicology, chemistry, engineering, water treatment, water distribution and public health.

Basis of approval

DWI cannot advise on approval of products that will not be placed on the United Kingdom market.

When considering an application for approval, DWI considers only whether the use of a substance or product will adversely affect the quality of the water supplied, or cause a risk to the health of consumers; assessment of fitness for purpose is not covered.

Applications are considered for all construction products used in contact with water in water treatment processes, water supply pipelines (including raw water pipelines) and drinking storage, and in water installations of raw water intended for human consumption. In addition DWI considers water treatment chemicals and filtration media that are not covered by a published BS EN standard¹; products (individual chemicals or filter media) that conform to a BS EN standard may be used without the approval of the Authorities in accordance with any appropriate additional National conditions of use.

It is important to note that approval of products does not give any indication as to the effectiveness or merits of the products in relation to any use.

Approved products have not been assessed for suitability for use with regeneration chemicals associated with some water treatment processes; for such applications, specific testing after exposure to the appropriate aggressive chemicals should be undertaken.

Products Approved Under Previous Regulations²

Approvals given under what are revoked Regulations are continued in effect by the combination of sections 17(2)(b) and 23 of the Interpretation Act 1978. So far as relevant, the effect of these provisions is that anything (including the approval of a substance or product) done under the previous Regulations that could have been done under present Regulations is taken to have been done under the latter Regulations.

For advice on Natural or Traditional products please refer to Advice Sheet 10 - <http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet10.pdf>

Review of Approved Products

New toxicological information - From time to time the DWI is made aware of new toxicological information on specific substances, usually from other recognised national or international bodies. DWI will review this information, and where necessary seek expert toxicological advice concerning the impact of this data on currently approved products containing those substances. If it is found that this information indicates that some approved products could pose a potential risk to human health, DWI may require some retesting of them. This process is set out in Advice Sheet 1, Section 7.2 and 9.2 - <http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet1.pdf>

Changes to approved products - Approval holders are advised to keep changes to a minimum, but it is recognised that sometimes changes are necessary. If the approval holder makes any change to an approved product, this must be notified to DWI as soon as possible so that an assessment of the implications of the change can be made. Major changes may mean that DWI will require further information and/or testing to determine whether the approval of the product can be maintained. It is for DWI to assess the significance of the change; some minor changes may require no further action. Further details are given in Advice Sheet 4 - <http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet4.pdf>

¹ See Annex 2.

² Or the 15th Statement of the Committee on Chemicals and Materials of Constructions for use in Public Water Supply and Swimming Pools (Department of the Environment) March 1989 – issued before implementation of the previous Regulations.

In some cases either of the above could lead to revocation of approval of the product.

Breaches of any condition of approval would be grounds for revocation of that approval.

The Annual List of Approved Products

The relevant Regulations require that a list of all the substances and products approved or refused and all approvals revoked or modified, shall be published, at least once a year.

This list is regularly updated by DWI throughout the year, and includes details of changes to approved products and additions to the List. The list is posted on the DWI website: <http://www.dwi.gov.uk/drinking-water-products/approved-products/soslistcurrent.pdf> .

IMPORTANT NOTE

Please see the DWI website for the most up-to-date list. Printed copies of this list may not be up-to-date.

INTRODUCTION TO THE LIST OF APPROVED PRODUCTS

All approved products must be used in accordance with the specific conditions of approval, listed against the product names in Parts A-E. In addition, the following general conditions of approval apply to all approved products:

- (1) That use is in accordance with an Instructions for Use document. Approval holders must provide drinking water suppliers with copies of the Instructions for Use Document that was considered by the Drinking Water Inspectorate (DWI) when approval was recommended.*
- (2) That the approval of the Authorities is obtained on condition that there shall be:*
 - no change in the formulation of the approved product, including change in the source or identity of raw materials*
 - no change in the manufacturing process, including location of manufacture*
 - no change in designation of the approved product*
 - no change in name or ownership of the organisation holding the approval*
- (3) That the producer shall ensure that the product is tested for conformity with its formulation, and the source or identity of its raw materials, at such intervals and by such persons, as may be determined by the Authorities. The results of such testing shall be sent to the Authorities.*
- (4) If there is suspicion that any of the above is not being followed or has been changed then notify DWI Regulation 31 team who will investigate (reg31.enquiries@defra.gsi.gov.uk)*

PART A: CHEMICALS AND FILTER MEDIA

INTRODUCTION

The products listed in this section are for use by drinking water suppliers, and cover:-

- Chemicals that can be used for the treatment and disinfection of water intended for human consumption;
- Chemicals that can be used for the treatment of assets, eg surface disinfection; and
- Filter media used in the large scale filtration of water, but not part of specific units, eg cartridge filters, membrane filtration units etc.

Two series of relevant European Standards (EN) have been published -

- Chemicals used for treatment of water intended for human consumption
- Products used for treatment of water intended for human consumption

As a consequence of the introduction of these EN standards treatment chemicals or products that conform with an appropriate EN standard, and that are used in accordance with any specific national condition of use (see Annex 2, sections 2.1 and 2.2 respectively) may be used without the approval of the Authorities. These standards are published by the British Standards Institute(BSi) as BS EN Standards and are available through BSi.

Products that conform to an appropriate EN standard are not subject to the approval process and are no longer listed in this publication. When new appropriate EN standards are published, products currently listed and conform to the appropriate new EN standard, will be removed from this section and temporarily listed in Annex 1 table 1.6.2.

The products listed in this section have only been assessed for their safety for use in drinking water supplies, when used in accordance with the relevant Instructions for Use. These products have NOT been assessed for –

- a) their efficacy or fitness for purpose in respect of any use; or
- b) their suitability for use in building water systems, including in terms of their safety when used in such systems.

IMPORTANT NOTE

Where a product based on a treatment chemical meeting the requirements of a relevant EN standard also contains other ingredients, whether or not these other ingredients meet the requirements of relevant EN standards, a formal review of the product by DWI is required before use – see Sections 1.4 and 3 of Advice Sheet 3 – <http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet3.pdf>

The following chemicals and products are either, not covered by a relevant EN standard, or do not conform fully to the scope and/or requirements of a published EN. For all of the chemicals and products listed, the following general condition of approval applies:

It is the responsibility of the drinking water suppliers to ensure that

- (a) the method and manner of use; and***
- (b) the purity of these chemicals and products***

are such that the water treated meets the requirements of the relevant regulations. Where appropriate, additional specific conditions of approval are listed against the chemical or product.

A.1 FLOCCULANTS AND COAGULANTS

A.1.1 Products based on tannin

The dose used must not exceed 10 mg l⁻¹ of active material.

GE Betz Ltd

WS 330/132/2 [Klaraid PC 4000](#)

A.1.2 Products based on aluminium and iron

For these products the dose must not exceed 150 mg l⁻¹ of the product as supplied.

Clinty Chemicals Ltd

DWI 56/4/151 [Ferric Aluminium Sulfate](#)

A.1.3 Products based on iron

A.1.4 Products based on polyacrylamide

For the products listed below the following conditions apply:-

- (i) no batch must contain more than 0.020% of free acrylamide monomer based on the active polymer content*
- (ii) the dose must average no more than 0.25mg/l and never exceed 0.50 mg/l of the active polymer*
- (iii) an upper limit for the content of free acrylamide monomer must be stated by the supplier for every batch*
- (iv) the method used for the analysis for free acrylamide monomer is that published in the series "Methods for the Examination of Waters and Associated Materials" entitled "Determination of Acrylamide Monomer in Waters and Polymers 1987" (HMSO 1988) Method number 115. ISBN 01175 2039X*

BASF Performance Products plc

DWI 56/4/885 [Magnafloc LT20](#)
DWI 56/4/883 [Magnafloc LT22-DWI](#)
DWI 56/4/884 [Magnafloc LT22S-DWI](#)
DWI 56/4/886 [Magnafloc LT25](#)
DWI 56/4/887 [Magnafloc LT27](#)

Goldcrest Chemicals Ltd

DWI 56/4/914 [Golkem 124](#)
DWI 56/4/915 [Golkem N17](#)
DWI 56/4/916 [Golkem N184](#)
DWI 56/4/917 [Golkem A169](#)
DWI 56/4/918 [Golkem A24](#)
DWI 56/4/919 [Golkem A170](#)
DWI 56/4/920 [Golkem A225](#)
DWI 56/4/921 [Golkem A155](#)
DWI 56/4/922 [Golkem A28](#)
DWI 56/4/923 [Golkem A165](#)
DWI 56/4/924 [Golkem C575S](#)
DWI 56/4/930 [Golkem C570S](#)
DWI 56/4/949 [Golkem A219](#)

Goldcrest Chemicals Ltd

DWI 56/4/950 Golkem A230

DWI 56/4/951 Golkem C565S

Kemira Chemicals b.v

DWI 56/4/893 Superfloc A100 PWG

DWI 56/4/894 Superfloc A110 PWG

DWI 56/4/895 Superfloc A120 PWG

DWI 56/4/896 Superfloc A130 PWG

DWI 56/4/897 Superfloc A137 PWG

DWI 56/4/898 Superfloc A150 PWG

DWI 56/4/899 Superfloc C-492 PWG

DWI 56/4/900 Superfloc N100 PWG

DWI 56/4/901 Superfloc N300 PWG

A.1.5 Products based on polyamine

For the products listed below the following conditions apply:-

- (i) the dose must average no more than 2.5 mg/l and never exceed 5.0 mg/l as the active polymer*
- (ii) no batch must contain more than 40 mg/kg 3-monochloro propane 1,2-diol*
- (iii) the analytical system used for determining the batch content must have a limit of detection no greater than 4mg/kg. Both estimates must have at least 10 degrees of freedom and have been determined from batches of analyses carried out on not less than five separate days*
- (iv) the supplier must state for every batch an upper limit for the content of 3-monochloro propane 1,2-diol*

BASF Performance Products plc

DWI 56/4/888 Magnafloc LT31

DWI 56/4/889 Magnafloc LT32

Goldcrest Chemicals Ltd

DWI 56/4/925 Golkem CL118

DWI 56/4/926 Golkem CL287

DWI 56/4/931 Golkem CL289

Kemira Chemicals b.v

DWI 56/4/902 Superfloc C573

Nalco Europe b.vDWI 56/4/905 ¹Nalco 71223DWI 56/4/906 ¹Nalco 71225

¹ indicates products which also contain a coagulant based on aluminium

A.1.6 Products based on polyDADMAC (Polydiallyldimethyl ammonium chloride)

For the products listed below the following conditions apply:-

(i) the dose must not exceed 10 mg/l of active polymer

BASF Performance Products plc

DWI 56/4/890 Magnafloc LT35

DWI 56/4/891 Magnafloc LT37

DWI 56/4/892 Magnafloc LT38

Goldcrest Chemicals Ltd

DWI 56/4/927 Golkem CL488

DWI 56/4/928 Golkem CL489

Kemira Chemicals b.v

DWI 56/4/903 Superfloc C587

DWI 56/4/904 Superfloc C592

A.1.7 Products based on aluminium

W7TER Ltd

DWI 56/4/808 W7TER EC 1000 Series

A.2 ADSORBENTS

The contact bed containing the product must be adequately backwashed in accordance with the Instructions for Use document and then rinsed with 5 bed volumes of water passed downflow to waste.

Purolite International Ltd

DWI 56/4/421 Macronet - MN200

A.3 ION EXCHANGE RESINS SYSTEMS

A.3.1 Ion exchange resins

Orica UK Ltd - Watercare Europe

DWI 56/4/550 MIEX DOC Resin

Purolite International Ltd

DWI 56/4/11 Purolite A520E nitrate selective anion exchange resin

Rohm and Haas (UK) Ltd

DWI 56/4/758 AMBERLITE PWA5

DWI 56/4/63 IMAC HP 336

DWI 56/4/63 IMAC HP 555

A.3.2 Ion exchange resin based processes

BOC

DWI 56/4/467 IXL Process

A.4 DISINFESTATION, DISINFECTION OR CLEANING AGENTS OF WATERWORKS APPARATUS AND DISTRIBUTION SYSTEMS

During the approval process there is no evaluation of a product's effectiveness, only of its safety in use. An approval given in this section does not certify that the Authorities are satisfied that the product is effective, but only that it is safe for use in accordance with the Instructions for Use supplied.

The fact that a product is approved does not justify any claim about its effectiveness.

Permission or consent for disposal of any wastewater generated to a sewer or watercourse must be obtained from the relevant water Service Company, or Environment Agency in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland as appropriate.

Aquabiotics Industrial Pty Ltd

DWI 56/4/642 BoreSaver Liquid

DWI 56/4/641 BoreSaver Ultra C

DWI 56/4/959 BoreSaver 1KL Pro

Aquatreat Group Ltd

DWI 56/4/996 Peroxysil 50

For this product the following applies:

This product shall be rinsed until the concentration of Hydrogen Peroxide is 0.1mg/l or less.

Arch Chemicals S.A

DWI 56/4/845 Constant Chlor Plus Briquettes

BioBullets Ltd

DWI 56/4/852 Silver Bullets 1000

DWI 56/4/1000 Silver Bullets 2000

For these 2 products the following applies:

These products can only be used for raw water treatment.

Carus Chemical Company

DWI 56/4/631 Carusol 20 Liquid Permanganates

DWI 56/4/631 Carusol 40 Liquid Permanganates

EPSCO Ltd

WS 34/1/144 Carela Bio-Des

WS 34/1/144 Carela Bio-Plus

DWI 56/4/437 Carela Bio-Plusforte

DWI 56/4/578 Carela Novopur

DWI 56/4/380 Carela RS 100

Floran Technologies Inc

DWI 56/4/754 [Floran Biogrowth Remover/Floran Catalyst](#)

DWI 56/4/754 [Media Master/Floran Catalyst](#)

DWI 56/4/843 [Floran Top Ultra/Floran Catalyst](#)

Panton McLeod Ltd

DWI 56/4/212 [PM33](#)

DWI 56/4/212 [PM55](#)

DWI 56/4/212 [PM88](#)

Permacare - Membrane Separations Group

DWI 56/4/385 [Resintreat](#)

Roam Chemie NV

DWI 56/4/573 [Huwa-San TR50](#)

For this product the following applies:

Flush the apparatus or distribution system before putting into service. Flushing shall be sufficient to ensure that all residual silver is flushed from the system such that the elevation of silver content in the final flush water is not greater than 1µg/l.

R. Spane GmbH

DWI 56/4/730 [Carela FIX & DES](#)

Tevan BV

DWI 56/4/844 [TEVAN Panox](#)

For this product the following applies:

This product shall be rinsed until the concentration of Hydrogen Peroxide is 0.1mg/l or less.

DWI 56/4/381 [TEVAN SIL](#)

For this product the following applies:

Flush the apparatus or distribution system before putting into service. Flushing shall be sufficient to ensure that all residual silver is flushed from the system such that the elevation of silver content in the final flush water is not greater than 1µg/l.

Water Treatment Products Ltd

DWI 56/4/211 [Sanosil Super 25](#)

For this product the following applies:

Flush the apparatus or distribution system before putting into service. Flushing shall be sufficient to ensure that all residual silver is flushed from the system such that the elevation of silver content in the final flush water is not greater than 1µg/l.

A.5 DISINFECTION OR CLEANING AGENTS OF MEMBRANES

During the approval process there is no evaluation of a product's effectiveness, only of its safety in use. An approval given in this section does not certify that the Authorities are satisfied that the product is effective, but only that it is safe for use in accordance with the Instructions for Use supplied.

The fact that a product is approved does not justify any claim about its effectiveness.

Ashland Drew Industrial Division

DWI 56/4/473 [AmeROyal 363](#)

Atkinson Chemicals Ltd

DWI 56/4/495 [Kinro 1020](#)

DWI 56/4/495 [Kinro 1020D](#)

DWI 56/4/524 [Kinro 1406](#)

DWI 56/4/524 [Kinro 1406N](#)

DWI 56/4/375 [Kintrol 556](#)

DWI 56/4/375 [Kintrol 556C](#)

BWA Water Additives UK Ltd

DWI 56/4/839 [Flocon 135](#)

Avista Technologies (UK) Ltd

DWI 56/4/458 [Delro 35](#)

DWI 56/4/582 [Delro 40](#)

DWI 56/4/964 [RoCide DB20](#)

DWI 56/4/737 [RoClean 111](#)

DWI 56/4/945 [RoClean L211](#)

DWI 56/4/855 [RoClean L403](#)

DWI 56/4/800 [RoClean L404](#)

DWI 56/4/824 [RoClean L607](#)

DWI 56/4/746 [RoClean P303](#)

DWI 56/4/868 [Vitec 2000](#)

DWI 56/4/457 [Vitec 3000](#)

DWI 56/4/582 [Vitec 4000](#)

DWI 56/4/458 [Vitec 5000](#)

DWI 56/4/801 [Vitec 7000](#)

DWI 56/4/869 [Vitec 7000a](#)

GE Betz Ltd

DWI 56/4/388 [Hypersperse MDC150](#)

DWI 56/4/388 [Hypersperse MDC220](#)

Genesys International Ltd

DWI 56/4/664 [Genesol 38](#)

DWI 56/4/665 [Genesol 40](#)

DWI 56/4/577 [Genesys HR](#)

DWI 56/4/495 [Genesys LF](#)

DWI 56/4/783 [Genesys LF60](#)

DWI 56/4/781 [Genesys LS](#)

DWI 56/4/610 [Genesys MG](#)

DWI 56/4/593 [Genesys SI](#)

DWI 56/4/524 [Genesys SW](#)

Gulf Specialized Water Services Company

DWI 56/4/534 GulfChem GS300
DWI 56/4/534 GulfChem GS500
DWI 56/4/534 GulfChem GS510
DWI 56/4/534 GulfChem GS520
DWI 56/4/534 GulfChem GS530

Permacare - Membrane Separations Group

DWI 56/4/326 Permaclean 77
DWI 56/4/326 Permaclean 99
DWI 56/4/463 PermaTreat 191
DWI 56/4/385 Resintreat

Professional Water Technologies Inc

DWI 56/4/854 Spectraguard SC

Rohm and Haas (UK) Ltd

DWI 56/4/481 Acumer 1100
DWI 56/4/481 Acumer 4035
DWI 56/4/481 Acumer 4450
DWI 56/4/481 Acumer 4800

Water Treatment Products Ltd

DWI 56/4/821 WTP RO 411
DWI 56/4/822 WTP RO 413

A.6 DISINFECTANTS FOR EMERGENCY USE

Disinfectants for emergency use are no longer approved and listed under the requirements of relevant regulations. Guidance upon the choice and use of disinfectants in an emergency is provided in Advice Sheet 9 (<http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet9.pdf>).

Approvals of previously listed disinfectants for emergency use have been revoked – see Information Letter 08/2008 (http://www.dwi.gov.uk/stakeholders/information-letters/2008/08_2008.pdf)

A.7 PRODUCTS BASED ON TRADITIONAL CHEMICALS

A.7.1 Traditional Chemicals

The following traditional chemicals (not currently covered by a specific appropriate BS EN) are considered by DWI to meet the requirements of the relevant regulations subject to the following condition -

The method of use and the purity of these products shall be such that, when used in the treatment of water intended for human consumption, the water so treated shall meet the appropriate requirements of the Water Supply (Water Quality) Regulations. .

Calcium chloride

Calcium sulphate

Citric acid (food grade) - for use only in cleaning of membranes

Crushed flint (e.g. Flintag)

Ferrous chloride

Magnesium carbonate

Magnesium hydroxide

Magnesium oxide

Magnesium sulphate - use only for re-mineralisation with RO membrane systems

Magnetite (Iron oxide (Fe₃O₄))

Products supplied as mixture of magnesium hydroxide and magnesium oxide

Sodium chloride

Sodium sulphate

Lithium Salts

For this product the following additional condition applies:

The use of lithium salts for meter calibration in water mains is acceptable providing that the maximum concentration of lithium in water supplied to consumers does not exceed 0.10 mg l⁻¹ at any time (the analytical method used for lithium determination should have an accuracy better than ±0.01 mg l⁻¹ at 0.10 mg l⁻¹)

A.7.2 On-site electrolytic generation of chlorine

Products in this section are not fully covered by EN 901 (Sodium Hypochlorite) and must conform to the following conditions of use:

(i) the method of use and the purity of the output of these products shall be such that, in the case of water for public supply, the water so treated meets the requirements of the relevant Regulations, and

(ii) the treated water must not contain more than 700 µg/l chlorate.

Aztec Environmental Controls

WS 34/1/82 Sodium hypochlorite generated by the ElectroCell Process

Grundfos Water Treatment

DWI 56/4/864 Selcoperm

Severn Trent Services Ltd

DWI 56/4/549 Clortec cell

Wallace and Tiernan Ltd

DWI 56/4/775 Sodium hypochlorite generated by the OSEC system

Waterman Environmental Services Ltd

DWI 56/4/545 MIOX Electrolytic Sodium Hypochlorite Generators

A.7.3 On-site generation of chlorine dioxide

Products in this section are not fully covered by EN 12671 (Chlorine dioxide) or introduce chlorine dioxide directly into supply once generated. The following products must conform to the following conditions of use:

- (i) the method of use and the purity of the output of these products shall be such that, in the case of water for public supply, the water so treated meets the requirements of the relevant Regulations, and*
- (ii) the combined concentration of chlorine dioxide, chlorite and chlorate shall not exceed 0.5mg/l as chlorine dioxide in the water entering supply.*

Scotmas Ltd

DWI 56/4/999 [Scotmas Purate CDDS \(Chlorine Dioxide Dosing System\)](#)

Ximax Water Solutions

DWI 56/4/998 [Xziox Chlorine Dioxide](#)

A.8 DISINFESTATION AGENTS

During the approval process there is no evaluation of a product's effectiveness, only of its safety in use. An approval given in this section does not certify that the Authorities are satisfied that the product is effective, but only that it is safe for use in accordance with the Instructions for Use supplied.

The fact that a product is approved does not justify any claim about its effectiveness.

Bournemouth and West Hampshire Water Plc

DWI 56/4/720 [Permasect WT for use in disinfestation of mains](#)

For this product the following conditions apply:

- (i) the dose applied must not cause the average and maximum concentration of permethrin or pyrethrins in water to exceed 10 and 20 $\mu\text{g l}^{-1}$ respectively;*
- (ii) the period of dosing should be kept to a minimum and must never exceed 7 days;*
- (iii) adequate account shall be taken of those water uses likely to be affected by the presence of permethrin or pyrethrins in water;*
- (iv) any water company proposing to use the product must give prior notification to the Authorities in accordance with agreed procedures; and*
- (v) permission or consent for disposal of any wastewater generated to a sewer or water course must be obtained from the relevant water service company or Environment Agency in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland, as appropriate.*

DWI 56/4/720 [Permasect WT for use in application to slow sand filters](#)

For this product the following conditions apply:

- (i) the dose must not exceed 100 $\mu\text{g/l}$ and the residual must not exceed 0.1 $\mu\text{g/l}$ in the treated water;*
- (ii) the period of dosing should be kept to a minimum and must never exceed more than once in a 28 day period;*
- (iii) prior to dosing, the water undertaker must establish that the filter bed to be dosed is intact and free from defects that would permit short-circuiting of normal flow pattern;*
- (iv) monitoring of permethrin in the final treated water entering supply must be carried out at daily intervals during the first 7 days following commencement of dosing; and*
- (v) permission or consent for disposal of any wastewater generated to a sewer or water course must be obtained from the relevant water service company or Environment Agency in*

England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland , as appropriate.

A.9 OTHER CHEMICALS

Airedale Chemical Company Ltd

DWI 56/4/960 [Airophos 750PWG](#)

Brenntag UK & Ireland Ltd

DWI 56/4/979 [TP Chlor](#)

A.10 FILTER MEDIA

Dryden Aqua Ltd

DWI 56/4/382 [Advance Filtration Media \(AFM\)](#)

PART B: PRODUCTS USED FOR THE CONVEYANCE OF WATER

B.1 PIPES

B.1.1 Polyethylene (PE) pipes

Asset International Ltd

DWI 56/4/513 Weholite Pipe

Centraltubi S.P.A

DWI 56/4/913 Centraltubi

Dyka B.V.

DWI 56/4/535 Dyka Blue HDPE -100 Pressure Pipes

DWI 56/4/535 Dyka Blue HDPE -80 Pressure Pipes

Dyka Plastics NV

DWI 56/4/575 Dyka Blue PE80 Pressure Pipes

EBERO Pipe Systems Ltd

DWI 56/4/829 Gerodur PE100 Blue Polyethylene Pipe

Egeplast Werner Strumann GmbH &Co

DWI 56/4/436 Egelen PE 100 Blue

DWI 56/4/436 Egelen PE100 Black

Fusion Provida

DWI 56/4/548 Fusion Black 100

George Fischer Sales Ltd

DWI 56/4/957 GF PE100 Black Pipe

GPS

DWI 56/4/871 GPS Excel 3c (Black)

DWI 56/4/853 GPS Excel 3c (Blue)

DWI 56/4/850 GPS Excel (Blue)

DWI 56/4/851 GPS Excel (Black)

DWI 56/4/651 GPS N Blue PE80 Pipe

DWI 56/4/242 GPS B Light Blue Polyethylene Pipe

DWI 56/4/345 GPS B Black Polyethylene Pipe

DWI 56/4/980 GPS F Black Polyethylene Pipe

Hepworth Building Products

DWI 56/4 239 Black MDPE Pipe

DWI 56/4/239 Blue MDPE Pipe

KWH Pipe (UK) Ltd

DWI 56/4/551 KWH Hostalen CRP 100 Black

DWI 56/4/551 KWH Hostalen CRP100 Blue

NKT Flexibles

DWI 56/4/644 AQFLEX

Pipelife Norge AS

DWI 56/4/811 Pipelife PE100 Pipes Black
DWI 56/4/778 Pipelife PE100 pipes Blue

Polypipe (Ulster) Ltd

DWI 56/4/241 Polypipe MDPE Pipe

Polypipe Building Products Ltd

DWI 56/4/635 Polypipe HDPE Pipe
DWI 56/4/635 Polypipe MDPE Pipe
DWI 56/4/635 TUB121
DWI 56/4/635 TUB124
DWI 56/4/968 Black PE80 Polyethylene Pipes
DWI 56/4/970 Blue PE80 Polyethylene Pipes
DWI 56/4/986 Black PE80 Polyethylene Pipes (ME3440)

Quality Plastics Ltd

DWI 56/4/240 Qualplast Polyethylene Pipe
DWI 56/4/997 Qual-plast HDPE Pipe

Radius Systems Ltd

DWI 56/4/939 Factory Sealed PE100 High Performance Dark Blue Pipe
DWI 56/4/940 PE100 High Performance Black Pipe
DWI 56/4/941 PE80 Medium Density Light Blue Pipe
DWI 56/4/942 PE80 Medium Density Black Pipe
DWI 56/4/943 Factory Sealed PE100 High Performance Profuse Pipe

Simona UK Ltd

DWI 56/4/526 Simona PE100 Pressure Pipe (type TRST RO) blue
DWI 56/4/570 Simona PE100 SPS-Drinking Water Pipes (type TRST-SPC RO)
DWI 56/4/875 Simona PE100 Black pipe, manufactured using Hostalen CRP100 black or ELTEX TUB 121 N3000

Subterra - a division of Daniel Contractors Ltd

DWI 56/4/461 Subcoil

Wavin Plastics Ltd

DWI 56/4/244 SupaSure Polyethylene Pipe
DWI 56/4/478 Wavin TS
DWI 56/4/489 Wavin TS3
DWI 56/4/379 WavinBlack Pipe
DWI 56/4/750 WavinJet Pipe
DWI 56/4/244 WavinSure Polyethylene Pipe

B.1.2 Barrier and laminated pipes**Egeplast Werner Strumann GmbH &Co**

DWI 56/4/589 Barrier pipes egeplast SLA 2.0
DWI 56/4/589 Laminated pipes egeplast SLM 2.0

GPS

DWI 56/4/872 GPS Protecta-Line
DWI 56/4 873 GPS Protecta-Line 3c
DWI 56/4/675 GPS Secura-Line Pipe Type S

DWI 56/4/700 GPS Secura-Line Pipe Type S Black
DWI 56/4/671 GPS Secura-Line Pipe Type N
DWI 56/4/676 GPS Secura-Line Pipe Type B
DWI 56/4/701 GPS Secura-Line Pipe Type B Black

Polypipe Building Products Ltd

DWI 56/4/857 Polyguard: Polyethylene/Aluminium/Polyethylene barrier pipes

Radius Systems Ltd

DWI 56/4/508 Puriton (BPRB)
DWI 56/4/882 Puriton DB
DWI 56/4/780 Radius 003
DWI 56/4/528 Radius 007
DWI 56/4/492 Radius 012

Wavin Plastics Ltd

DWI 56/4/474 Trigon

B.1.3 Polyvinylchloride (PVC) pipes

Please note that all approved PVC pipes are made with non-lead stabilisers.

Durapipe UK

DWI 56/4/937 Durapipe Grey PVC-U Pipe NGS

Dyka (UK) Ltd

DWI 56/4/374 Dyka BiOroc Pipe

Dyka B.V.

DWI 56/4/637 Dyka Grey PVC-U Pipe NGS

Hepworth Building Products

DWI 56/4/556 Hepworth PVC-A Hep30 (blue) - 16 mm to 710 mm
DWI 56/4/556 Hepworth PVC-U Watermain (grey) - 3/8th to 24 inches

Uponor Ltd

DWI 56/4/325 Mondial MOPVC pipe
DWI 56/4/658 Mondial PVC-O (NGS) Polyvinyl Chloride Pipe
DWI 56/4/810 Mondial PVC-O (GS2) Molecular Oriented Polyvinyl Chloride Pipe
DWI 56/4/723 Uponor A-Tech (PVC-A) Pipe

Wavin Ireland Ltd

DWI 56/4/600 Aquaforce (with non-lead stabiliser)
DWI 56/4/731 Wavinmain EN 1452 NGS

Wavin Plastics Ltd

DWI 56/4/581 Wavin Apollo (with Calcium Zinc Stabilisation)

B.1.4 Acrylonitrile-butadiene-styrene copolymer (ABS)

Durapipe UK

WS 330/181 Durapipe ABS Pipe
DWI 56/4/590 Durapipe ABS Pipe Type F

George Fischer Sales Ltd

DWI 56/4/753 GF ABS pressure pipe

B.1.5 Polyethylene terephthalate (PET)

Wavin Plastics Ltd

DWI 56/4/435 Neofit

B.1.6 Glass reinforced plastic (GRP) pipes

Future Pipe Industries B.V.

DWI 56/4/656 Wavistrong Series - for use upstream of a Reverse Osmosis unit only

Iniziativa Industriali SpA (Sarplast)

DWI 56/4/666 Plastiwind - for use upstream of a Reverse Osmosis unit only

B.1.7 Cement mortar lined pipes

For Products in this section, the following conditions applies:

Before connection to the supply, the water undertaker or their appointed agent, must carry out tests to establish that migration from the cement mortar lining will not cause a contravention of the upper prescribed concentration for hydrogen ion in the relevant Regulations.

B.1.7.1 Cement Mortar Lined Pipes without seal coat

Duktus

DWI 56/4/948 Duktus Ductile iron pipes with cement mortar lining for the carriage of Drinking Water

Electrosteel Castings Ltd

DWI 56/4/992 Electrofresh Ductile Iron Pipe

Frazer & Tabberer Ltd

DWI 56/4/713 FT Pipelines Cement Lined Pipes

Fuchs Rohr GmbH

DWI 56/4/434 CSP Water Pipes

Jindal Saw Limited

DWI 56/4/933 JSAW-JAL-1A
DWI 56/4/935 JSAW-JAL-11A

Saint-Gobain PAM UK Ltd

DWI 56/4/283 System CL

Sertubi

DWI 56/4/493 Sertubi Ductile Iron Pipe with Internal Lining in Blast Furnace Cement Mortar

B.1.7.2 Cement Mortar Lined Pipes with seal coat**Buderus Giesserei Wetzlar GmbH**

DWI 56/4/625 Cement Mortar Lining coated with Hunting Waterline sealcoat

Electrosteel Castings Ltd

DWI 56/4/537 Electrofresh Plus Pipe lined with Copon Hycote 162 PWX

Jindal Saw Ltd

DWI 56/4/934 JSAW-JAL-1B

DWI 56/4/936 JSAW-JAL-11B

Metal Cleaning UK Ltd

DWI 56/4/952 Cement Mortar Lining Sealed with Scotchkote 162 PWX

Frazer & Tabberer Ltd

DWI 56/4/559 CSP water pipe lined with Copon Hycote 162 PWX

Saint-Gobain PAM UK Ltd

DWI 56/4/283 System XL

B.1.8 Pipes coated with factory applied nylon resin**Leyfos Plastics Limited**

DWI 56/4/615 Rilsan Nylon Green Coated Pipes and Fittings

B.1.9 Pipes coated with factory applied epoxy resin**Barnard Ltd**

DWI 56/4/710 Pipes lined with RESICOAT R4-FB HKC71R

DWI 56/4/597 Pipes lined with Scotchkote 206N

Barrier Limited

DWI 56/4/757 Barrier Pipeline lined with Copon Hycote 162 PWX

BSR Pipeline Services Ltd

DWI 56/4/661 BSR/EPW/003 - Pipegard P300

DWI 56/4/772 BSR/EPW/004 - Copon Hycote PWX

Conline Coatings B.V.

DWI 56/4/749 Conline Coatings Pipes lined with Copon Hycote 162 PWX

Erciyas Celik Boru Sanayi A.S.

DWI 56/4/989 Erciyas Steel Water Pipes

EUPEC

DWI 56/4/907 Frazer and Tabberer - EUPEC

Freeflow Pipesystems

DWI 56/4/601 Pipes Lined with Scotchkote 206N

DWI 56/4/817 Pipes Lined with Resicoat R4-FB HKC71R

Metal Cleaning UK Ltd

DWI 56/4/944 MCUK Pipe Lined with Scotchkote 162PWX

Noksel Steel Pipe Co Inc

DWI 56/4/832 Steel pipes coated with Copon Hycote 162PWX

Northpoint Ltd

DWI 56/4/602 Pipes lined with Scotchkote 206N

DWI 56/4/659 Pipes lined with Resicoat R4-FB HKCO4R

Orrmac Coatings Limited

DWI 56/4/771 Pipes and Fittings lined with Resicoat R4-FB HKC71R

DWI 56/4/985 Pipes lined with Scotchkote 162PWX

Plastic Coatings Ltd

DWI 56/4/606 Pipes lined with Scotchkote 206N

Saint-Gobain PAM UK Ltd

DWI 56/4/618 PaM Natural Pipeline Components

STS Tubular Group

DWI 56/4/993 Steel pipe coated with 3M Scotchkote Epoxy Coating 162PWX

B.1.10 Stainless steel pipes**ABC Stainless Ltd**

DWI 56/4/542 Q Pipe System

Acciona Agua

DWI 56/4/965 Prep-Tec Stainless Steel Products

DWI 56/4/966 Mainsier Duplex Stainless Steel Pipework

AJ Engineering & Construction Services Ltd

DWI 56/4/561 AJE Stainless Steel Pipe Systems

Alpha Plus Ltd

DWI 56/4/692 Stainless Steel Pipework

Amari Metals Ltd

DWI 56/4/738 AAlco Stainless Steel Tubes

ASD Metal Services

DWI 56/4/876 ASD Stainless Steel tubes and pipes

BSS Industrial

DWI 56/4/1017 Stainless Steel Tubings and Fittings

Damstahl Stainless Ltd

DWI 56/4/715 Damstahl FF

DWI 56/4/715 Damstahl PT

DWI 56/4/719 Damstahl SE

DWI 56/4/719 Damstahl SP

DH Stainless Ltd

DWI 56/4/773 Stainless Steel Metric Bore and ANSI welded Pipes

Dustacco Engineering Ltd

DWI 56/4/647 DE Stainless Steel Systems

Gallagher & McKinney Ltd

DWI 56/4/616 Stainless Steel Pipe & Fittings grades

GB Filters Ltd

DWI 56/4/820 Aries Managed Air System

George Green (Keighley) Ltd

DWI 56/4/699 Stainless Steel Pipework & Fittings - Flanged/Screwed - All diameters & Grades

J.K. Fabrications Limited

DWI 56/4/574 JKF 304 and 316 Stainless Steel Pipelines

Lancashire Fittings Ltd

DWI 56/4/523 Lancashire Fittings Stainless Steel Pipe

DWI 56/4/523 Lancashire Fittings Stainless Steel Tube

L.E.S Engineering Ltd

DWI 56/4/830 Pipework / Tanks / Vessels

MMP Fabrications Ltd

DWI 56/4/784 Stainless Steel Pipework

Outokumpu Stainless Ltd

DWI 56/4/516 Outokumpu Stainless Steel Pipes

Powerrun Project Management Ltd

DWI 56/4/782 Powerrun Fabricated 304L Stainless Steel Pipework

DWI 56/4/769 Powerrun fabricated stainless steel pipework

RA Materials

DWI 56/4/652 ZERON 100 super duplex stainless steel pipe work and components

Sandvik Materials Technology Ltd

DWI 56/4/704 Sandvik 3R12

DWI 56/4/704 Sandvik 3R60

DWI 56/4/704 Sandvik 3R64

DWI 56/4/704 Sandvik 3R65

DWI 56/4/704 Sandvik 3R66

DWI 56/4/704 Sandvik SAF2205

DWI 56/4/704 Sandvik SAF2507

Scottish Water Solutions

DWI 56/4/722 Stainless Steel Borehole Riser Pipework

Sitemech Utilities Ltd

DWI 56/4/909 SMU Stainless Steel Pipework System

Stainless Metric Stock Ltd

DWI 56/4/569 [Stainless Metric Stock - SMS100](#)

Staptina Engineering Services Ltd

DWI 56/4/567 [Staptina 316L Pipework](#)

Varis Engineering Ltd

DWI 56/4/956 [Process Pipework Systems](#)

Vexamus Water Ltd

DWI 56/4/726 [304 Stainless Steel Thin Wall Pipework 50NB to 1000NB](#)

DWI 56/4/727 [316 Stainless Steel Thin Wall Pipework 50NB to 1000NB](#)

Wolseley UK Ltd

DWI 56/4/819 [Wolseley Stainless Steel Pipes and Tubes](#)

B.1.11 Coated pipes suitable for total immersion in water**Saint-Gobain PAM UK Ltd**

DWI 56/4/604 [System XL](#)

For the following product, the following condition applies:

Before connection to the supply, the water undertaker or their appointed agent, must carry out tests to establish that migration from the cement mortar lining will not cause a contravention of the upper prescribed concentration for hydrogen ion in the relevant Regulations .

DWI 56/4/604 [System CL](#)

B.1.12 Pipes coated with a factory applied Polyolefin**Saint-Gobain PAM UK Ltd**

DWI 56/4/823 [Blutop](#)

B.2 WELL CASINGS, SCREENS AND RISING MAINS**Angus Flexible Pipelines**

DWI 56/4/1020 [Angus Wellmaster Flexible Rising Main](#)

For the above product, the following condition applies:

Prior to use the water supplier carries out a risk assessment to provide for a suitable flushing regime validated, where appropriate, by monitoring when the product has been out of supply for a period of time.

Boode UK Ltd

DWI 56/4/958 [Boode Waterwell Systems PVC Screen and Casing](#)

Johnson Filtration Systems

DWI 56/4/653 [Screens, Casing and Accessories for Water Wells](#)

B.3 PRODUCTS FOR CONVEYANCE OF WATER - EMERGENCY USE

For products in this section the following condition applies:

These products are primarily intended for emergency use and are approved for limited use only and may not be permanently installed in, or used in conjunction with any system for treating or distributing public water supplies. If the proposed use will extend beyond a 90 day period of use on any one occasion, then advice from the DWI should be sought before installation and use.

NOTE: some of these products may be suitable for limited use during planned maintenance. In this case it is the responsibility of the water supplier to undertake a thorough risk assessment of the proposed use, including fitness-for-purpose and why other products, already fully approved under the relevant regulations cannot be used. Use of any of these products during planned maintenance shall be in accordance with the condition set out above.

B.3.1 Hoses

Angus Flexible Pipelines

DWI 56/4/1005 [Super Aquaduct](#)

For the above product, the following conditions apply:

- (i) *after disinfection the product is flushed for its entire length before being brought into service, and*
- (ii) *when in use the main is kept continually in flow.*

Snap-Tite Europe. B.V.

DWI 56/4/62 [Snap-Tite TE Range – Blue Hose](#)

B.3.2 Bowsers/tanks

JFC Manufacturing (Europe) Ltd

DWI 56/4/765 [Emergency Water Tank](#)

Kingspan Environmental Containers

DWI 56/4/736 [Emergency Potable Water Storage Tanks](#)

Trailer Engineering

DWI 56/4/707 [Emergency Drinking Water Bowsers](#)

Western

DWI 56/4/825 [Aquastax and Polytank Emergency bowsers/tanks](#)

DWI 56/4/693 [Mobile bowsers/tanks](#)

Whale Tankers Ltd

DWI 56/4/694 [Medium Capacity Whale Drinking Water Bowser](#)

DWI 56/4/662 [Whale Drinking Water Bowser](#)

B.3.3 Liner bag

Arlington Packaging (Rental) Ltd

DWI 56/4/796 Arlington 1000 Litre Bag-in-Box Combo Liner

Rapak

DWI 56/4/849 1100LLA956

PART C: LINING /COATINGS AND SEALANT & REPAIR MATERIALS

C.1 IN-SITU INSTALLED (TUBULAR) PIPE LININGS

C.2 IN-SITU APPLIED PIPE COATINGS

In-situ applied lining products approved for use by the Authorities for the relining of existing water mains/pipes must be applied in accordance with strict operational requirements as documented in the Water Industry Information & Guidance Note IGN 4-02-02

<http://www.water.org.uk/home/member-services/wis-and-ign/archived-documents/ign-4-02-02.pdf> "Code of Practice: In-situ resin lining of water mains" and the Water Industry Specification WIS 4-02-01 <http://www.water.org.uk/home/member-services/wis-and-ign/archived-documents/wis-4-02-01-v2.1---march-2009.pdf> "Operational Requirements: In situ resin lining of water mains".

The coatings listed in this section have been subject to review by DWI (including testing), on the basis of their proposed use with inert substrates such as metallic or cement based structures (or as specified in the manufacturer's Instructions for Use (IFU)), and upon the detailed application and curing requirements set out in the IFU. They have not been evaluated for any other aspect, such as fitness for purpose.

For use with other non-metallic non-cementitious materials, such as plastics, other coatings/linings, and rubbers, a specific application for approval would be required for use of the coating with a specific substrate.

C.2.1 Coatings based on Epoxy Resins

These products must be applied by a certified contractor.

Corrosion Protection Products

DWI 56/4/760 3M Scotchkote Geopox GX 014

Leighs Paints

DWI 56/4/253 Pipegard P300

Subterra - a division of Daniels Contractors Ltd

WS 34/1/124 ELC 173/90

C.2.2 Coatings based on Polyurethane

These products must be applied by a certified contractor.

Corrosion Protection Products

DWI 56/4/336 3M Scotchkote Rapid Setting Polymeric Lining 169

DWI 56/4/657 3M Scotchkote Rapid Setting Polymeric Lining 169HB

DWI 56/4/645 3M Scotchkote Rapid Setting Polymeric Lining 169LV

Subterra - a division of Daniels Contractors Ltd

DWI 56/4/579 [Fast-Line](#)

DWI 56/4/698 [Fast-Line plus](#)

C.3 SITE APPLIED COATINGS FOR WATER RETAINING STRUCTURES

The products listed below in this section, in addition to being approved for site applied coatings for water retaining structures, are suitable for use in large diameter mains where they can be applied by hand e.g. brush or spray.

The coatings listed in this section have been subject to review by DWI (including testing), on the basis of their proposed use with inert substrates such as metallic or cement based structures (or as specified in the manufacturer's Instructions for Use (IFU)), and upon the detailed application and curing requirements set out in the IFU. They have not been evaluated for any other aspect, such as fitness for purpose.

For use with other non-metallic non-cementitious materials, such as plastics, other coatings/linings, and rubbers, a specific application for approval would be required for use of the coating with a specific substrate.

C.3.1 Coatings based on Epoxy Resins

The following conditions apply unless otherwise indicated:

(i) the minimum cure time is 16 hours; and

(ii) the minimum cure temperature is 3°C.

Corroless Corrosion Control

DWI 56/4/305 [Corroguard 595](#)

Corrosion Protection Products

WS 34/1/75 [3M Scotchkote Epoxy Coating 162 PW](#)

The above product is also suitable for brush application of large diameter mains pipes when used in conjunction with the IFU associated to this product.

DWI 56/4/300 [3M Scotchkote Epoxy Coating 162PWX plus 3M Scotchkote Epoxy Coating 162PW Stripe Coat](#)

DWI 56/4/760 [3M Scotchkote Geopox GX014](#)

Leighs Paints

DWI 56/4/253 [Leighs Waterline P300](#)

DWI 56/4/253 [Pipegard P300](#)

Sika Ltd

DWI 56/4/197 [Sikagard 62](#)

For this product the following condition applies:

The product must be cured in accordance with the cure curves provided in the Instructions for Use. The required cure time can be calculated by the user from the minimum daily temperature at the site of application. If the temperature cannot be measured and recorded then a minimum cure period of 21 days must be used.

Subterra - a division of Daniels Contractors Ltd

DWI 56/4/71 [ELC 173/90](#)

C.3.2 Coatings based on Polyurethane

Corrosion Protection Products

WS 34/1/75 3M Scotchkote Urethane Coating 165PW

For this product the following condition applies: *The product must be cured for a minimum period of 7 days at a minimum temperature of 7° C.*

DWI 56/4/613 3M Scotchkote Urethane Sealer 165CS/3M Scotchkote Urethane Coating 165PW-PR

For this product the following condition applies: *The product must be cured for a minimum period of 7 days at a minimum temperature of 7° C.*

Irathane Futura A Division of ITW Ltd

DWI 56/4/276 Aqualine 650 with Irabond BC50

For the above product the following condition applies: *The product must be cured for a minimum of 21 days at a minimum temperature of 7° C.*

C.3.3 Coatings based on Ebonite

IQL Ltd

DWI 56/4/748 IQL 136 DW Hard Ebonite

For this product the following condition applies:

This company has been granted approval to apply and cure this product on or within water retaining structures

C.4 FLEXIBLE COVERS AND LININGS FOR WATER RETAINING STRUCTURES

DRC Polymer Products Ltd

DWI 56/4/337 Hylam FPA

BASF Polyurethanes GmbH

DWI 56/4/880 Elastocoast 6551/100

DWI 56/4/954 Elastocoast 6551/102

For the above products the following conditions apply:

- (i) *this product is for use on raw water reservoirs only*
- (ii) *this product must be cured for a minimum period of 7 days at a minimum cure temperature of 7° C*

DWI 56/4/953 Elastocoast 6551/103

For the above product the following conditions apply:

- (i) *this product is for use on raw water reservoirs only*
- (ii) *this product must be cured for a minimum period of 48 hours at a minimum cure temperature of 7° C*

Stevens Geomembranes - JPS Elastomerics

DWI 56/4/278 Stevens Polypropylene Geomembrane

TBS Elastomers

DWI 56/4/278 Ecoseal PP - DW

Note: Laminated flexible covers and linings for water retaining structures may not necessarily have been assessed for uses totally immersed in water, e.g. as baffles.

C.5 CEMENTITIOUS COATINGS

BASF Construction Chemicals (UK) Ltd

DWI 56/4/156 [Mainline](#)

For this product the following condition applies:

This product has been approved for use only in contact with water of alkalinity greater than 40 mg l⁻¹ CaCO₃.

DWI 56/4/86 [Thoroseal FX 100](#)

DWI 56/4/86 [Thoroseal Plaster Mix/Acryl 60](#)

DWI 56/4/86 [Thoroseal/Acryl 60](#)

British Cement Association

DWI 56/4/453 [Cemline I](#)

DWI 56/4/465 [Cemline II](#)

For these products the following condition applies:

Use of these generic products must conform to the In-situ cement mortar lining-Operational Guidelines and Codes of Practice published by Water Research Centre plc, 1990 (ISBN 0902156 84 5).

Flexcrete

DWI 56/4/95 [Flexcrete Cementitious Coating 851 Grey](#)

DWI 56/4/95 [Flexcrete Cementitious Coating 851 White](#)

DWI 56/4/95 [Monolevel 844SP](#)

Fosroc Ltd

WS 34/1/109 [Nitocote CM 210](#)

For this product the following condition applies:

The minimum cure time is 7 days.

Xypex (UK) LLP

DWI 56/4/487 [Xypex Admix C-1000 NF](#)

DWI 56/4/487 [Xypex Concentrate](#)

DWI 56/4/487 [Xypex Modified](#)

Irathane Futura- Division of ITW Ltd

DWI 56/4/293 [Irathane CR 94](#)

MorganEST

DWI 56/4/881 [UltraShell SX](#)

Natural Cement Distribution Ltd

DWI 56/4/840 [NATCEM AC](#)

Sika Ltd

DWI 56/4/94 [Sikatop-Seal 107](#)

For this product the following condition applies:

The product must be cured for a minimum 7 days at a minimum temperature of 7°C.

Vandex International Ltd

DWI 56/4/48 Vandex BB 75
DWI 56/4/48 Vandex BB White
DWI 56/4/48 Vandex Concrete Grey
DWI 56/4/48 Vandex Mineralit
DWI 56/4/48 Vandex Premix
DWI 56/4/48 Vandex Pure
DWI 56/4/48 Vandex Super
DWI 56/4/48 Vandex Uni Mortar 1

C.6 SEALANT & REPAIR MATERIALS

BASF Construction Chemicals (UK) Ltd

DWI 56/4/156 Dryjoint/Acryl 60
DWI 56/4/156 Structurite/Acryl 60
DWI 56/4/144 Thoroflex 200 expansion joint system

For this product the following condition applies:

This product must be cured for a minimum of 21 days at a minimum temperature of 7°C

Flexcrete

DWI 56/4/95 Fastfill
DWI 56/4/95 Monomix
DWI 56/4/397 Monomix WS
DWI 56/4/95 Steel Reinforcement Protector 841

Fosroc Ltd

DWI 56/4/297 Renderoc Plug 20

Xypex (UK) LLP

DWI 56/4/487 Xypex Patch'n Plug

Natural Cement Distribution Ltd

DWI 56/4/483 NATCEM 35
DWI 56/4/840 NATCEM AC
DWI 56/4/483 Shotcrete 513

Samuel Cooke & Co Ltd

DWI 56/4/718 Fastplug Cement

Sika Ltd

DWI 56/4/94 Plastocrete OC
DWI 56/4/94 Sika 1

For these products the following condition applies:

This product is approved for use with Portland BS12 cement.

DWI 56/4/217 Sika 101 HD

For this product the following condition applies:

The minimum cure time is 21 days.

DWI 56/4/94 Sika 4a

DWI 56/4/94 Sika AER

For these products the following condition applies:

This product is approved for use with Portland BS12 cement.

DWI 56/4/216 [Sika Monotop 610/612](#)

For this product the following condition applies:

The product must be cured in accordance with the cure curves provided in the Instructions for Use. The required cure time can be calculated by the user from the minimum daily temperature at the site of application. If the temperature cannot be measured and recorded then a minimum cure period of 21 days must be used. (The approval for this product applies solely to this product and does not include primer materials.)

DWI 56/4/94 [Sikacem 133 Gunita](#)

For this product the following condition applies:

The minimum cure time is 21 days.

DWI 56/4/94 [Sikadur Combiflex SG jointing system using Sikadur 31 DW](#)

For this product the following condition applies:

This product must be cured for a minimum cure period of 21 days at a minimum temperature of 7°C.

DWI 56/4/94 [Sikadur Combiflex Using Sikadur 31 Rapid](#)

For this product the following condition applies:

This product must be cured in accordance with the cure curves provided in the Instructions for Use. The required cure time can be calculated by the user from the minimum daily temperature at the site of application. If the temperature cannot be measured and recorded then a minimum cure period of 15 days must be used.

DWI 56/4/94 [Sikatop 121](#)

DWI 56/4/94 [Sikatop 122](#)

DWI 56/4/94 [Sikatop 122HB](#)

For these products the following condition applies:

The minimum cure time is 21 days.

Vandex International Ltd

DWI 56/4/48 [Vandex Plug](#)

PART D: MEMBRANE AND FILTRATION SYSTEMS

For products in this section the following general condition applies:

Products must be installed upstream of any final point of disinfection.

Note: A list of membranes considered by the Drinking Water Inspectorate to be capable of continuously removing or retaining particles greater than 1-micron diameter was available on the DWI website. This list is now no longer available as membranes used must be fit for intended use.

D.1 MEMBRANE AND FILTRATION ELEMENTS/SYSTEMS

Amazon Filters Ltd

DWI 56/4/702 Amazon SupaGard Cartridge Filters

DWI 56/4/702 Amazon SupaSpun II Cartridge Filters

Arkal Filtration Systems CS Ltd

DWI 56/4/425 Spinclean 3 SK 2-2 Filter

Amiad Filtration Systems Ltd

DWI 56/4/456 Filtomat Microcheck System

DWI 56/4/113 Filtomat Microfibre AMK 36K Filter Unit

DWI 56/4/113 Filtomat Microfibre AMK 370K Filter Unit

DWI 56/4/113 Filtomat Microfibre AMK93K Filter Unit

Hydranautics BV

DWI 56/4/680 CPA3 Range of Reverse Osmosis Membrane Systems

DWI 56/4/686 ESPA2 Range of Reverse Osmosis Membrane Systems

DWI 56/4/689 HYDRAcap

DWI 56/4/683 SWC Range of Membrane Filtration Elements

Kalsep UK Ltd

DWI 56/4/277 Fibrotex Aqua Filter Elements

DWI 56/4/277 Kalmem Polyethersulphone Hollow Fibre Element

DWI 56/4/277 PBT Fibrotex Filter Element

Koch Membrane Systems

DWI 56/4/269 ROGA 8060-UF-D Membrane Elements

DWI 56/4/204 Targa Modules V and H

Pall Europe Ltd

DWI 56/4/795 Pall Microza UNA-620C microfiltration module

DWI 56/4/793 Pall Microza UNV-6203 micro-filtration modules

DWI 56/4/396 Pall Microza USV-6203 micro-filtration modules

DWI 56/4/743 Pall 'Ultipor' 'GF Plus' filter type MWH27

DWI 56/4/743 Pall 'Ultipor' 'GFC

PCI Membranes

DWI 56/4/234 C10 Module

DWI 56/4/76 CA202 membrane

DWI 56/4/627 CA222 membrane

DWI 56/4/215 ES404 membrane

Pridesa Proyectos e Instalaciones de Desalación S.A.

DWI 56/4/696 Amazon Cartridge Filter PA-9B-1500

Siemens plc

- DWI 56/4/972 Memcor CMF-L L10C Continuous Microfiltration Module (polypropylene membranes)
- DWI 56/4/973 Memcor CMF- S S10V Range of Microfiltration submodules (submerged PVDF Membranes) with optional Memcor EF
- DWI 56/4/974 Memcor CMF-M10V Continuous Microfiltration Module (PVDF Membranes)
- DWI 56/4/975 Memcor CMF-M10C Continuous Microfiltration Module (Polypropylene Membranes)
- DWI 56/4/976 Memcor CMF-S S10T Microfiltration Submodule (submerged Polypropylene Membranes) optional Memcor EF
- DWI 56/4/977 Memcor CMF-L L10V Range of Microfiltration Submodules (PVDF Membranes)
- DWI 56/4/977 Memcor CMF-L L20V Range of Microfiltration Submodules (PVDF Membranes)
- DWI 56/4/53 Memcor Continuous Microfiltration (CMF) M1/M2 System

USFilter-Memcor, Microfloc and General Filter Products

- DWI 56/4/761 MULTIBLOCK Filter Underdrains

X-FLOW B.V.

- DWI 56/4/324 S-150 FSFC Membrane Filtration Elements
- DWI 56/4/324 S-225 FSFC Membrane Filtration Elements
- DWI 56/4/324 SXL-150 FSFC Membrane Filtration Elements
- DWI 56/4/324 SXL-225 FSFC Membrane Filtration Elements

Zenon Environmental Inc

- DWI 56/4/756 ZeeWeed 1000 V3 Membrane Filtration Module
- DWI 56/4/628 ZeeWeed 500c, Membrane Filtration Module

Zenon Europe Kft

- DWI 56/4/835 ZeeWeed 500d Membrane Filtration Module
- DWI 56/4/835 ZeeWeed 500d (440) Membrane Filtration Module

D.2 VESSELS AND CONTAINERS FOR MEMBRANE AND FILTRATION ELEMENTS**Amazon Filters Ltd**

- DWI 56/4/879 Cartridge and Bag Filter Housings

Fileder Filter Systems

- DWI 56/4/848 BFS (Bag Housings)
- DWI 56/4/848 FOS (Cartridge Housings)

PCI Membranes

- DWI 56/4/410 Low Pressure uPVC Vessel

Pentair Water India Pvt Ltd

- DWI 56/4/288 Codeline RO Membrane Housing Codeline 80S Series (Coded Vessels)
- DWI 56/4/288 Codeline RO Membrane Housing Codeline 80S Series (Non-coded Vessels)

For these products the following condition applies:

The product may only be used upstream of reverse osmosis filtration

D.3 ELECTRODIALYSIS WATER TREATMENT UNITS

Ionics (UK) Ltd

DWI 56/4/480 Ionics Electrodialysis Reversal Water Treatment Unit

PART E: OTHER WATER TREATMENT WORKS INSTALLATIONS

E.1 TANKS

ABC Stainless Ltd

DWI 56/4/542 ABC Storage, process tanks and vessels

DWI 56/4/705 Replacement GAC Tank

AJ Engineering & Construction Services Ltd

DWI 56/4/561 AJE Stainless Steel Tank

AMT Systems Ltd

DWI 56/4/1019 AMT Filter tanks, Storage tanks, Process tanks and vessels

APT Marine Engineering Ltd

DWI 56/4/697 Replacement Water Clarifier Tank

Crossland Tankers (Burnley) Ltd

DWI 56/4/792 Tanks for transportation of drinking water

Forbes Technology Ltd

DWI 56/4/335 Cheetah tanks (polypropylene)

DWI 56/4/335 Lion Range (polypropylene inner surface backed with glassfibre laminate)

DWI 56/4/299 Lynx tanks (PVC inner surface backed with glassfibre laminate)

J.K. Fabrications Limited

DWI 56/4/732 JKF 304 and 316 Stainless Steel Tanks

L.E.S Engineering Ltd

DWI 56/4/830 Pipework/Tanks/Vessels

MMP Fabrications Ltd

DWI 56/4/785 Stainless Steel Storage Tanks

Permastore Ltd

DWI 56/4/594 Isofusion (vitreous enamelled tank)

Powerrun Project Management Ltd

DWI 56/4/611 Stainless Steel Grade 316L Potable Water Reservoir Tanks

Silotank (Digestors, Silos & Tanks) Ltd

DWI 56/4/747 Connaught Range of Tanks

DWI 56/4/747 Connaught Range of Towers

DWI 56/4/498 Leinster Range of Thermoplastic Tanks

DWI 56/4/498 Leinster Range of Towers

Vulcan Tanks Ltd

DWI 56/4/621 Aquastore

E.2 UNDERDRAINS

AMT Systems Ltd

DWI 56/4/708 Lateral Filter Underdrain System
DWI 56/4/709 Monolithic Floor Filter Underdrain System

Black & Veatch

DWI 56/4/833 K Filter Floor

ITT Water and Wastewater Leopold Inc

DWI 56/4/371 HDPE Universal Underdrain and IMS Cap

Johnson Filtration Systems

DWI 56/4/908 Stainless Steel Triton Underdrain

Plasmor Ltd

DWI 56/4/988 Plasmor E Block

Severn Trent Services Ltd

DWI 56/4/522 Tetra LP Block System

USFilter-Memcor, Microfloc & General Filter Products

DWI 56/4/761 MULTIBLOCK Media Retaining Gravity Filter Underdrains

E.3 PRESSURE VESSELS

Compressor & Power Engineers Ltd

DWI 56/4/560 CPE Pressure Vessels - 316L Stainless Steel
DWI 56/4/560 CPE Pressure Vessels-304 Stainless Steel

Midas Technologies (GB) Ltd

DWI 56/4/767 Aqua-HiLo

MMP Fabrications Ltd

DWI 56/4/786 Stainless Steel Pressure Vessels

Portobello Fabrications Ltd

DWI 56/4/788 Pressure Filter Vessel

DWI 56/4/646 Saturator/Degasser Vessel

The product listed below can only be used upstream of a Reverse Osmosis unit.

DWI 56/4/827 Pressure Filter Water Collector Pipework

Quantum Engineering Developments Ltd

DWI 56/4/558 Quantum Pressure Vessels- 304L

DWI 56/4/558 Quantum Pressure Vessels- 316L

E.4 OTHER PRODUCTS USED IN THE TREATMENT OF WATER

Celtic Vacuum Ltd

DWI 56/4/846 Stainless Steel Baffle Wall

Degremont UK Limited

DWI 56/4/695 Lamella Module DH50/DH80

Flo-dyne Limited

DWI 56/4/962 Surge Protector- Model Type SAC

Forbes Technology Ltd

DWI 56/4/711 Cheetah Tower Packings

ITT Lowara UK Ltd

DWI 56/4/963 GMD-GHV-GMS-GXS-GTKS Manifolds

L.E.S Engineering Ltd

DWI 56/4/830 Pipework/Tanks/Vessels

Memcor Ltd

DWI 56/4/609 Memcor EF

Midland Wire Cordage Co Ltd

DWI 56/4/828 316 Stainless Steel Wire Rope

Nijhuis Water Technology B.V.

DWI 56/4/620 IPF and NPF model of Dissolved Air Flotation units

OTV Ltd

DWI 56/4/309 Lamellar Separator Plates Type GA and H

Paques B.V.

DWI 56/4/768 Astraseparator ARS-C

DWI 56/4/724 Astraseparators ARS-standard

Passavant-Roediger-Anlagenbau GmbH

DWI 56/4/491 Lamellar Separator plates

Purac Ltd

DWI 56/4/741 Saturator Vessel Pall Rings

Scottish Water Solutions

DWI 56/4/740 Stainless steel baffle walls for Floc/DAF cells

Severn Trent Services Ltd

DWI 56/4/632 Rapid Gravity Filter Air Header

Veolia Water Systems Ltd

DWI 56/4/770 Package Actiflo and Multiflo

Vexamus Water Ltd

DWI 56/4/608 Dynasand Sand Filter DS5000AD

DWI 56/4/608 Dynasand Sand Filter DST30D

DWI 56/4/622 Lamella Plate Pack LP255

DWI 56/4/639 Lamella Plate Separators Flocculation Tank

DWI 56/4/728 Lamella Plate Separators LP Range (LP80, LP100, LP140, LP170, LP190)

DWI 56/4/640 Lamella Plate Separators LS Range (LS25, LS40, LS60, LS100, LS120, LS165)

DWI 56/4/663 Lamella Plate Separators LT Range (LT15, LT25, LT40, LT60)

Water-Line Solutions Ltd

DWI 56/4/1015 WLS Stainless Steel Baffle Curtain

PART F: LOW CONTACT COMPONENTS AND PRODUCTS

INTRODUCTION

The relevant Regulations cover products used in contact with water intended for human consumption where the contact surface area and/or contact time are low. These products do not require the same rigorous evaluation as that applied to products such as pipes and their coatings. Full details of the types of products covered under this requirement are given in Section 3 of Advice Sheet 8 (<http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet8.pdf>). This Advice Sheet also contains guidance on the use of these components and products in the provision of public water supplies.

ANNEX 1

CHANGES TO APPROVALS AND AMENDMENTS TO THE LIST OF APPROVED PRODUCTS

1.1 Modified Conditions of Approval

Information letter http://www.dwi.gov.uk/stakeholders/information-letters/2006/09_2006.pdf: update on the *in-situ* resin lining of water mains under Regulation 31 (10) (b) of the Water Supply (Water Quality) Regulations 2000 (2001 Wales), and Information Letter 4/2006 issued under the Water Supply (Water Quality) (Scotland) Regulations 2001 in Scotland.

1.2 List of Products refused Approval under Regulation 31 (4) (a)

Company Name	Product Name
Polypipe Building Products	Polypipe Effast ABS Pressure Pipe

1.3 Prohibition of use of Substances and Products

The Authorities have not recently prohibited the use of any substances or products.

1.4 Revocation of Approval

Company Name	Product Name
A & J Fabrications Ltd	Dirty Wash Water Cleaning System
Creto International Inc Evercrete Corporation	Evercrete DPS
Munters Ltd	Tubedek FS 41.50
MC Building Chemicals	MC Injectopress 2300T
Pentair Water Treatment	Codeline Pressure Vessel E8B/SP
	Codeline Pressure Vessel E8L/SP
	Codeline Pressure Vessel E8S/SP
	Codeline Pressure Vessel E8U/SP
PTI Technology	Steelflow
Rivitswade	Pipes lined with Copon Hycote 162 PWX
Delkor Ltd	Spiral Separator
*The following products are revoked only for emergency use, other listings of them remain valid	
Aqua Cure plc	ACHY SHP*
	Aqua Dosa Sanitiser*
Ceratherm Ltd	Biotant*
ROAM Chemie NV	Huwa-San TR5*
	Huwa-San TR50*
	Tiosan*
SafeSol Ltd	SafeSol 3*
Swissteril International 5755 Ltd	Steril*
Water Treatment Products Ltd	Sanosil SO15*
	Sanosil Super 25*
	Sanosil Super 25 Ag*

1.5 Approval of Processes

Please see Frequently Asked Question 6 - <http://www.dwi.gov.uk/drinking-water-products/faqs/FAQ6.pdf>

1.6 Deletions from the list of approved products in the last twelve months

1.6.1 Products deleted because they are no longer supplied or their approval has lapsed

If these products were purchased before the date of withdrawal or removal they may still be used provided they remain fit for purpose.

Company Name	Product Name	Date of Removal
Koch Membranes Systems	TFC 8040-S-410-D	9/9/10
	TFC 8040-ULP-375-D	9/9/10
	TFC 8040-ULP-400-D	9/9/10
	TFC 8040-HR-400-D	9/9/10
	TFC 8040-HF-370-D	9/9/10
	TFC 8040-HR-560-D	9/9/10
Amiad Filtration Systems	Filtration Microfibre MT33P Filter Unit	14/10/10
Angus Fire Armour Ltd	Thermopipe	29/10/10
3M E Wood	Copon Hycote 160PW (Activator L0120)	10/02/11
	Scotchkote 162PWX In-Situ lining use	10/02/11
Proton Water Services Ltd	PRO-SEC system	28/4/11
Pipeline Protection Services Ltd	Pipes lined with Copon Hycote 162PWX	4/5/11
Sarnafil Ltd	Sarnafil MCG 780-15	15/06/11

1.6.2 Products deleted because they are covered by a BS EN

Company	Product Name	BS EN Number
GEH Wasserchemie GmbH	GEH ferric hydroxide	15029:2006
Lanxess Deutschland GmbH	Bayoxide E33P	15029:2006

The Authorities remain satisfied that the substances or products listed above are unlikely used alone to affect adversely the quality of water. Consequently, the relevant Regulations authorise its application to, or introduction into, water supplied for regulation 4(1) purposes.

1.7 Changes in ownership or designation of approved products in the last twelve months

The following companies have had ownership of existing product approvals transferred to other companies, or have changed the name of the product:

1.7.1 Change in company name or ownership

COMPANY NAME		Date of Change
Old	New	
Memcor Ltd	Siemens plc	27/7/10
Ciba UK plc	BASF Performance Products plc	28/7/10
Aquabiotics Pty Ltd	Aquabiotics Industrial Pty Ltd	21/10/10
3M E Wood	Corrosion Protection Products	10/02/11

1.7.2 Change in product designation in the last twelve months

Company	PRODUCT NAME		Date of Change
	Old	New	
Amiad Filtration Systems Ltd	Filtomat Microfibre MT22P Filter Unit	Filtomat Microfibre AMK36K Filter Unit	9/9/10
	Filtomat Microfibre MT38P Filter Unit	Filtomat Microfibre AMF 370K Filter Unit	22/9/10
	Filtomat Microfibre MT44P Filter Unit	Filtomat Microfibre AMF93K Filter Unit	22/9/10
Corrosion Protection Products	Geopox GX014	3M Scotchkote Geopox GX014	11/02/11
	Copon Hycote 162PWX	3M Scotchkote Epoxy Coating 162PWX	11/02/11
	Copon Hycote 165PW	3M Scotchkote Urethane Coating 165PW	14/02/11
	Scotchkote 169HB	3M Scotchkote Rapid Setting Polymeric Lining 169HB	14/02/11
	Scotchkote 169LV	3M Scotchkote Rapid Setting Polymeric Lining 169LV	14/02/11
	Scotchkote 169	3M Scotchkote Rapid Setting Polymeric Lining 169	14/02/11
	Copon Hycote 165PW-PR	3M Scotchkote Urethane Sealer 165CS/3M Scotchkote Urethane Coating 165PW-PR	14/02/11
STS Tubular Group	Steel Pipe Coated with Copon Hycote 162PWX	Steel Pipe Coated with 3M Scotchkote Epoxy Coating 162PWX	18/03/11

1.8 Additional Products added to the List in the last twelve months (consolidated into the main text of this list)

1.8.1 New Products approved in the last twelve months

Company	Product	Date of acceptance
Boode UK Ltd	Boode Waterwell Systems PVC Screen and Casing	8/7/10
GPS	GPS F Black Polyethylene Pipe	8/9/10
Erciyas Celik Boru Sanayi A.S	Erciyas Steel Water Pipe	19/8/10
Quality Plastics Ltd	Qual-Plast HDPE pipe	8/10/10
STS Tubular Group	Steel pipes coated with Copon Hycote 162PWX	8/10/10
Electrosteel Castings Ltd	Electrofresh Ductile Iron Pipes	26/10/10
Plasmor Ltd	Plasmor E Blcok	06/01/11
Aquatreat Group Ltd	Peroxysil 50	20/12/10
Grundfos Water Treatment	Selcoperm	11/3/11
Scotmas Ltd	Scotmas Purate CDDS	18/03/11
Water-Line Solutions Ltd	WLS Stainless Steel Baffle Curtain	25/03/11
Biobullets Ltd	Silver Bullets 2000	6/4/11
Ximax Water Solutions	Xziox Chlorine Dioxide	15/4/11
Grundfos Water Treatment	Selcoperm	11/3/11
Angus Flexible Pipelines	Super Aquaduct	16/05/11
AMT Systems Ltd	AMT Filter tanks and Vessels	23/05/11
BSS Industrial	Stainless Steel Tubings and Fittings	16/06/11

1.8.2 Previously approved, now reinstated in the last twelve months

Company	Product	Date of removal	Date of acceptance
Roam Chemie NV	Huwa San TR50	4/03/10	30/07/10
Angus Flexible Pipelines	Angus Flexible Rising Main	01/01/04	20/05/11

1.9 Changes to existing products in the last twelve months

This table reflects the changes that have been made to products and include changes in relation to Instructions for Use, conditions of use, etc

Company	Product	Nature of Change	Date of acceptance
Ashland Drew Industrial	Ameroyal 363	Company name and address	07/07/10
Siemens plc	All products	Company Name	27/7/10
BASF Performance Products plc	All products	Company Name	28/7/10
Radius Systems Ltd	PE100 High Performance Profuse Pipe	IFU	30/7/10
DRC	Hylam FPA	Material	26/8/10
Sika Ltd	Sikadur Combiflex using Sikadur 31DW	Material	10/9/10
GPS	GPS Excel 3C GPS Excel (Blue)	Material	28/9/10
GPS	GPS Excel 3C (Black) GPS Excel	Material	28/9/10
Amiad Filtration Systems Ltd	Filtration Microfibre AMF 36K Filtration Unit	Product Name	9/9/10
Amiad Filtration Systems Ltd	Filtration Microfibre AMF 370K Filtration Unit	Product Name	22/9/10
Amiad Filtration Systems Ltd	Filtration Microfibre AMF 93K Filtration Unit	Product Name	22/9/10
Snap-Tite Europe B.V	Snap-Tite TE range-Blue Hose	IFU	7/10/10
ITT PCI Membranes	CA202, CA222, ES404	Material	18/10/10
Aquabiotics Industrial Pty Ltd	Boresaver Ultra C	IFU	21/10/10
Subterra	Fast-Line Plus	IFU	9/11/10
Lue Earth Labs LLC	Floran Biogrowth Remover	Material	29/11/10
	Floran Catalyst	Material	29/11/10
	Media Master	Material	29/11/10
Sika Uk	Sika Combiflex using Sikadur 31DW	Material	23/11/10
Flexcrete	Cementitious Coating 851 White	Material	11/02/11
	Cementitious Coating 851 Grey	Material	11/02/11
	Steel Reinforcement Protector 841	Material	11/02/11
	Monolevel 844SP	Material	11/02/11

Company	Product	Nature of Change	Date of acceptance
Corrosion Protection Products	3M Scotchkote Geopox GX014	Product name & Company name change	11/02/11
	3M Scotchkote Epoxy Coating 162PWX	Product name & Company name change	11/02/11
	3M Scotchkote Urethane Coating 165PW	Product name & Company name change	14/02/11
	3M Scotchkote Rapid Setting Polymeric Lining 169HB	Product name & Company name change	14/02/11
	3M Scotchkote Rapid Setting Polymeric Lining 169LV	Product name & Company name change	14/02/11
	3M Scotchkote Rapid Setting Polymeric Lining 169	Product name & Company name change	14/02/11
	3M Scotchkote Urethane Sealer 165CS/3M Scotchkote Urethane Coating 165PW-PR	Product name & Company name change	14/02/11
X-Flow B.V	All Products	Material	28/02/11
Seimens	Memcor Filtration Module	Material	18/02/11
Polypipe	Polyguard Pipes	Material	01/03/11
STS Tubular Group	Steel Pipe Coated with 3M Scotchkote Epoxy Coating	Product name change	18/03/11
Aquabiotics	Boresaver IKL Pro	Material	29/03/11
Radius Systems Ltd	PE100 High Performance Dark Blue Pipe	IFU	5/4/11
X-Flow B.V.	All Products	Material	16/06/11

1.10 New and revised BS EN standards issued in the last twelve months

The results of the issue of new standards may require the removal of products listed in the main body of the text. Products removed from the main body of the text can be found in table 1.6.2 earlier in this section. Titles of the relevant BS ENs can be found in the tables in Annex 2.

BS EN Number	Revision/New	Comment	Date published by BSi
15664-2:2010	New		31/07/10
15795: 2010	New	Filter material or supporting material in multilayer filter	20/10/10

LIST OF RELEVANT EUROPEAN STANDARDS

2.1 British Standards BS EN for Chemicals used for Treatment of Water

IMPORTANT NOTES

- 1. The existence of a relevant EN standard does not necessarily mean that all supplies of a specific treatment chemical or product will have been tested to and shown to meet the appropriate requirements of the EN. These standards contain requirements for impurities and may additionally have a National Condition of Use assigned to them.*
- 2. Since EN standards for drinking water treatment chemicals and products do not contain mandatory requirements for attestation of conformity, it is the responsibility of the user of these products to ensure that the treatment chemicals or products provided by a specific supplier fully meet the test requirements of the relevant EN standard by provision of a certificate of attestation for the batch of chemical supplied or by internally checking through their own laboratories.*
- 3. The standards have been written for a specific function in water treatment. Full details where a treatment chemical or product is used outside of normal use, advice should be sought from the DWI and approval may be required.*
- 4. It is recommended that end users of treatment chemicals or materials that have an BSEN associated to them have access to the current version to ensure that the product supplied conforms.*

Note - we are unable to recommend laboratories to undertake testing of individual treatment chemicals for conformity with these standards; responsibility of such testing is with the manufacturer and/or end user.

For all of the chemicals listed the following general national condition of use applies:

The method of use and the purity of these products shall be such that, in the case of water for public supply, the water so treated meets the requirements of the relevant regulations .

BS EN	Chemical	Additional National Conditions of Use	Use
13194: 2008	Acetic acid	None	Source of carbon for biological denitrification
881: 2004	Aluminium chloride, aluminium chloride hydroxide and aluminium chloride hydroxide sulfate (monomeric)	None	Coagulant and precipitant
935: 2004	Aluminium iron (III) chloride (monomer) and aluminium iron (III) chloride hydroxide (monomeric)	None	Coagulant and precipitant
887: 2004	Aluminium iron (III) sulfate	None	Coagulant and precipitant
878: 2004	Aluminium sulfate	None	Coagulant
12122: 2005	Ammonia solution	None	For in-situ bacteriostatic treatment by formation of chloramines
12123: 2005	Ammonium sulfate	None	For in-situ bacteriostatic treatment by formation of chloramines
1421: 2005	Ammonium chloride	None	For in-situ bacteriostatic treatment by formation of chloramines
1407: 2008	Anionic and nonionic polyacrylamides	(i) no batch must contain more than 0.020% of free acrylamide monomer based on the active ingredient content; (ii) the dose must average no more than 0.25 mg l ⁻¹ and never exceed 0.50 mg l ⁻¹ of the active ingredient; (iii) an upper limit for the content of free acrylamide monomer must be stated by the supplier for every batch; (iv) the method used for the analysis for free acrylamide monomer is entitled 'Determination of Acrylamide' published in the series 'Methods for the Examination of Waters and Associated Materials' by the Environment Agency.	Removal of colloidal and fine suspended particles and as a flocculant
1018: 2006	Calcium carbonate	None	pH and hardness adjustment
900: 2007	Calcium hypochlorite	None	Removal of ammonium compounds, oxidising sulphides, oxidation of iron and manganese and disinfectant

BS EN	Chemical	Additional National Conditions of Use	Use
1204: 2005	Calcium tetrahydrogen bis(orthophosphate)	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
936: 2006	Carbon dioxide	None	Increase water hardness, pH adjustment and regeneration of ion exchange resins
1410: 2008	Cationic polyacrylamides	(i) no batch must contain more than 0.020% of free acrylamide monomer based on the active ingredient content; (ii) the dose must average no more than 0.25 mg l ⁻¹ and never exceed 0.50 mg l ⁻¹ of the active ingredient; (iii) an upper limit for the content of free acrylamide monomer must be stated by the supplier for every batch; and (iv) the method used for the analysis for free acrylamide monomer is entitled 'Determination of Acrylamide' published in the series 'Methods for the Examination of Waters and Associated Materials' by the Environment Agency.	Coagulant and flocculant for colloidal or fine suspended particles
937: 2009	Chlorine	None	Disinfectant, removal of ammonia compounds, oxidising sulphides and regeneration of ion exchange resins
12671: 2009	Chlorine dioxide	The combined concentration of chlorine dioxide, chlorite and chlorate should not exceed 0.5mg l ⁻¹ as chlorine dioxide in the water entering supply.	Disinfection and oxidation
12386: 2005	Copper sulfate	None	Cleaning of containers used for drinking water treatment and destruction of algae in water works installations

BS EN	Chemical	Additional National Conditions of Use	Use
1202: 2005	Dipotassium hydrogen orthophosphate	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
1199: 2005	Disodium hydrogen orthophosphate	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
1205: 2005	Disodium dihydrogen pyrophosphate	None	Scale inhibitor
13176: 2008	Ethanol	None	Source of carbon for biological denitrification
12175: 2006	Hexafluorosilicic acid	None	Increase resistance of consumers to dental decay
12518: 2008	High-calcium lime	None	pH and hardness adjustment
939: 2009	Hydrochloric acid	<i>Permission or consent for disposal of any wastewater generated to a sewer or watercourse must be obtained from the relevant water service company or Environment Agency, in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland as appropriate.</i>	Lower pH, ingredient for the generation of chlorine dioxide and regeneration of ion exchange resins
902: 2009	Hydrogen peroxide	<i>(i)Permission or consent for disposal of any wastewater generated to a sewer or watercourse must be obtained from the relevant water service company or Environment Agency in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland , as appropriate. (ii)Products conforming to EN902 shall not contain stabilising or activation agents. If a product contains such agents it requires approval under the relevant regulations .(iii)Prior to introduction into supply all residual hydrogen peroxide must be demonstrably removed/destroyed</i>	An oxidant to remove oxidisable impurities and as a disinfectant (NB National Conditions of use apply)

BS EN	Chemical	Additional National Conditions of Use	Use
888: 2004	Iron(III) chloride	None	Primary coagulant
891: 2004	Iron(III) chloride sulfate	None	Primary coagulant
889: 2004	Iron(II) sulfate	None	Primary coagulant
890: 2004	Iron(III) sulphate liquid	None	Primary coagulant
14664: 2004	Iron(III) sulphate, solid	None	Primary coagulant
12126: 2005	Liquefied ammonia	None	For in-situ bacteriostatic treatment by formation of chloramines
13177: 2010	Methanol	None	Source of carbon for biological denitrification
1406: 2009	Modified starches	<i>The dose must not exceed 5 mg l⁻¹ of active ingredient.</i>	Removal of colloidal and fine suspended particles
1204: 2005	Monocalcium phosphate	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper.
1201: 2005	Monopotassium hydrogen orthophosphate	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
1197: 2006	Monozinc phosphate solution	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
12876: 2009	Oxygen	None	Oxidant, maintaining aerobic conditions, gas for ozone generation
1278: 2010	Ozone	None	Disinfectant, improvement of organoleptic quality, removal of iron, manganese and colour, oxidation of persistent pollutants and a coagulant
974: 2003	Phosphoric acid	<i>Permission or consent for disposal of any wastewater generated to a sewer or watercourse must be obtained from the relevant water service company or Environment Agency in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland, as appropriate.</i>	Biological nitrification/denitrification and corrosion control eg plumbosolvency

BS EN	Chemical	Additional National Conditions of Use	Use
15040: 2006	Phosphonic acids and salts – antiscalants for membranes	Under consideration – please seek advice from DWI	Antiscalant for reverse osmosis and nanofiltration membranes to prevent CaCO ₃ , CaSO ₄ , BaSO ₄ , SrSO ₄ , CaF ₂ scale deposition and fouling by iron, aluminium, manganese and silicates.
1408: 2008	Poly(diallyldimethylammonium chloride)	<i>The dose used must not exceed 10 mg l⁻¹ of active ingredient.</i>	Coagulant and flocculant for colloidal and fine suspended particles
883: 2004	Polyaluminium chloride hydroxide and polyaluminium chloride hydroxide sulfate	<i>None</i>	Coagulant and precipitant
885: 2004	Polyaluminium chloride hydroxide silicate	<i>None</i>	Coagulant and precipitant
886: 2004	Polyaluminium hydroxide silicate sulfate	<i>None</i>	Coagulant and precipitant
1409: 2008	Polyamines	<i>(i) The average dose should be 2.5 mg l⁻¹ and never exceed 5 mg l⁻¹ of active ingredient; (ii) no batch must contain more than 40 mg of 3-monochloropropane 1,2-diol per kg of active ingredient; (iii) the analytical system used for determining the batch content must have a limit of detection no greater than 4 mg kg⁻¹ and a maximum total standard deviation no greater than 4 mg kg⁻¹ at 40 mg kg⁻¹. Both estimates must have at least 10 degrees of freedom and have been determined from batches of analyses carried out on not less than five separate days; and (iv) the supplier must state for every batch an upper limit for the content of 3-monochloropropane 1,2-diol.</i>	Coagulant and flocculant for colloidal and fine suspended particles
15039: 2006	Polycarboxylic acids and salts – antiscalants for membranes	Under consideration – please seek advice from DWI	Antiscalant for reverse osmosis and nanofiltration membranes to prevent CaCO ₃ , CaSO ₄ , BaSO ₄ , SrSO ₄ , CaF ₂ scale deposition and fouling by iron, aluminium, manganese and silicates.
15041: 2006	Polyphosphates – antiscalants for membranes	Under consideration – please seek advice from DWI	Antiscalant for reverse osmosis and nanofiltration membranes

BS EN	Chemical	Additional National Conditions of Use	Use
1201: 2005	Potassium dihydrogen orthophosphate	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
12672: 2008	Potassium permanganate	None	Taste and odour control, elimination of algae and microorganisms, removal of iron and manganese and regeneration of filter media
12678: 2008	Potassium peroxomonosulfate	None	Oxidation of organic and inorganic matter
1211: 2005	Potassium tripolyphosphate	None	Scale inhibitor
15030: 2006	Silver salts for conservation of drinking water for intermittent use	On advice from HSE – these compounds may not be used in contact with water intended for human consumption.	
1205: 2005	Sodium acid pyrophosphate	None	Scale inhibition
1405: 2009	Sodium alginate	<i>the dose used must not exceed 0.5 mg l⁻¹ of active ingredient</i>	Removal of colloidal and fine suspended particles
882: 2004	Sodium aluminate	None	Coagulant and flocculant
1208: 2005	Sodium calcium polyphosphate	None	Corrosion and scale inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper.
897: 2005	Sodium carbonate	None	Increase pH and alkalinity
15028: 2006	Sodium chlorate	Under consideration – please seek advice from DWI	Ingredient for the generation of chlorine dioxide, it can also be used for the offline cleaning/maintenance of premises
14805: 2008	Sodium chloride for on site electrochlorination using non-membrane technology	<i>the requirements and national conditions of use of the final hypochlorite generated shall meet the requirements of BS EN 901.</i>	Ingredient used to produce active chlorine (Cl ₂ or NaClO) for disinfection of water by electrolysis of brine
973: 2009	Sodium chloride for regeneration of ion exchangers	None	Regeneration of ion exchange resins

BS EN	Chemical	Additional National Conditions of Use	Use
938: 2009	Sodium chlorite	<p><i>(i) the dose must be such that the combined concentration of chlorine dioxide, chlorite and chlorate does not exceed 0.5 mg l⁻¹ as chlorine dioxide in water potentially entering supply; and</i></p> <p><i>(ii) permission or consent for disposal of any wastewater generated to a sewer or water course must be obtained from the relevant water service company or Environment Agency in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland, as appropriate.</i></p>	Ingredient for the generation of chlorine dioxide
12931: 2008 12932: 2008 12933: 2008	Sodium dichloroisocyanurate, anhydrous Sodium dichloroisocyanurate, dihydrate Trichloroisocyanuric acid	<p>Conditions if product is used as a cleaning agent:</p> <p><i>(i) the dose must be such that the final concentration in the water used to wash installations does not exceed 1000 mg l⁻¹ of free available chlorine;</i></p> <p><i>(ii) that following cleaning and disinfection, the installation is flushed to ensure that the residual chlorine concentration is acceptable to consumers; and</i></p> <p><i>(iii) permission or consent for disposal of any wastewater generated to a sewer or watercourse must be obtained from the relevant water service company or Environment Agency in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland, as appropriate.</i></p> <p><i>Water companies should check with their suppliers to ensure that products to be cleaned and disinfected will not be adversely affected by the concentration of chlorine to be employed.</i></p> <p>Conditions if product is used as an emergency disinfectant:</p> <p><i>(i) where circumstances are such that the water being treated is not grossly contaminated and a controlled contact time of not less than 15 minutes between dosing</i></p>	Disinfectant by generation of hypochlorous acid

BS EN	Chemical	Additional National Conditions of Use	Use
		<p><i>and taking it into use can be maintained, not more than 10 mg l⁻¹ of sodium dichloro-isocyanurate compound should be applied and not more than 1mg l⁻¹ of free residual chlorine should be present at the end of the relevant contact time. It is recommended that consumers should be exposed to such waters containing chloro-isocyanurates for only as long as is required to restore conventional treatment, or for no more than 90 days in any period of a year, whichever is applicable;</i></p> <p><i>(ii) under circumstances where water sources may be grossly contaminated, to ensure inactivation of most likely harmful organisms, up to 20 mg l⁻¹ sodium dichloro-isocyanurate may be added, with a recommended contact time of 15 minutes before use. It is recommended that consumption of water dosed at this rate of treatment should be for only as long as is necessary before it is possible to effect control of the residual chlorine after contact to 1 mg l⁻¹, and then to follow the requirements set out in condition (i); and</i></p> <p><i>(iii) should it be necessary for specific groups of consumers to be exposed to water containing chloro-isocyanurates for periods greater than 90 days either continuously or in a year, it is recommended that independent medical advice be obtained from a person who is not under the control of the water undertaker.</i></p>	
1198: 2005	Sodium dihydrogen orthophosphate	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
12121: 2005	Sodium disulfite	None	Reducing agent to remove excess chlorine, chlorine dioxide or ozone

BS EN	Chemical	Additional National Conditions of Use	Use
12173: 2005	Sodium fluoride	None	Increase resistance of consumers to dental decay
12174: 2006	Sodium hexafluorosilicate	None	Increase resistance of consumers to dental decay
898: 2005	Sodium hydrogen carbonate	None	pH stabilisation and alkalinity adjustment
12120: 2005	Sodium hydrogen sulfite	None	Reducing agent to remove excess chlorine, chlorine dioxide or ozone
896: 2005	Sodium hydroxide	None	neutralising agent, adjustment of pH value, softening agent, alkalinity adjustment, regenerator for ion exchange resins
901: 2007	Sodium hypochlorite	<i>The method of use and the purity of these products shall be such that, in the case of water for public supply, the water so treated meets the requirements of the relevant regulations .</i>	Removal of ammonium compounds, oxidising sulphides, oxidation of iron and manganese and disinfectant
15482: 2007	Sodium Permanganate	Under consideration – please seek advice from DWI	Taste and odour control, elimination of algae and microorganisms, removal of iron and manganese and regeneration of filtering material.
12926: 2008	Sodium peroxodisulfate	None	Oxidation of organic and inorganic matter and ingredient in the generation of chlorine dioxide
1212: 2005	Sodium polyphosphate	None	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
1209: 2003	Sodium silicate	None	Flocculant, corrosion inhibitor and sequestering agent for iron and manganese
12124: 2005	Sodium Sulfite	None	Reducing agent to remove excess chlorine, chlorine dioxide or ozone
12125: 2005	Sodium thiosulfate	None	Reducing agent to remove excess chlorine, chlorine dioxide or ozone
1210: 2005	Sodium tripolyphosphate	None	Scale inhibitor
1019: 2005	Sulfur dioxide	None	Removal of excess oxidising agents eg chlorine and ozone

BS EN	Chemical	Additional National Conditions of Use	Use
899: 2009	Sulfuric acid	<i>None</i>	pH adjustment and regeneration of ion exchange resins
1207: 2005	Tetrapotassium pyrophosphate	<i>None</i>	Scale inhibitor
1206: 2005	Tetrasodium pyrophosphate	<i>None</i>	Scale inhibitor
1203: 2005	Tripotassium orthophosphate	<i>None</i>	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.
1200: 2005	Trisodium orthophosphate	<i>None</i>	Corrosion inhibition in water pipes consisting of cast iron, mild or galvanized steel or copper. To achieve an improved corrosion inhibition, also combination products with polyphosphates are used depending on the water quality.

2.2 British Standards BS EN for Products used for Treatment of Water Intended for Human Consumption

IMPORTANT NOTES

- 1. The existence of a relevant EN standard does not necessarily mean that all supplies of a specific treatment chemical or product will have been tested to and shown to meet the appropriate requirements of the EN. These standards contain requirements for impurities and may additionally have a National Condition of Use assigned to them.*
- 2. Since EN standards for drinking water treatment chemicals and products do not contain mandatory requirements for attestation of conformity, it is the responsibility of the user of these products to ensure that the treatment chemicals or products provided by a specific supplier fully meet the test requirements of the relevant EN standard by provision of a certificate of attestation for the batch of chemical supplied or by internally checking through their own laboratories.*
- 3. The standards have been written for a specific function in water treatment. Full details where a treatment chemical or product is used outside of normal use, advice should be sought from the DWI and approval may be required.*
- 4. It is recommended that end users of treatment chemicals or materials that have an BSEN associated to them have access to the current version to ensure that the product supplied conforms.*

*Note - **we are unable to recommend laboratories to undertake testing of individual treatment chemicals for conformity with these standards; responsibility of such testing is with the manufacturer and/or end user.***

For all of the products listed the following general national condition of use applies;
The method of use and the purity of these products shall be such that the quality of treated drinking water meets the requirements of the relevant regulations.

BS EN	Title	Additional National Conditions of Use	Use
1017:2008	Half –burnt dolomite	None	Granular filter medium
12909: 2005	Anthracite	None	Filter medium
12912: 2005	Barite	None	A filtering or supporting material in multilayer filters
13754: 2009	Bentonite	None	used to weigh down a flock when there is a low amount of suspended solids in the water.
14456: 2004	Bone charcoal	<i>The contact bed containing the product must be adequately back-washed (until backwash water is clear of fines) to remove any readily leachable materials before connection to the supply.</i>	Remove colour, taste odour and wide range of metals, fluoride and certain other organic and inorganic contaminants.
12905: 2005	Expanded aluminosilicate	None	Filtering material and as a support for biofiltration
12910: 2005	Garnet	None	Used as a filtration and support material. It also has an application as a seeding material in pellet reactors.
13753: 2009	Granular activated alumina	<i>(i) the contact bed containing the product must be adequately back-washed (until backwash water is clear of fines) to remove any readily leachable materials before connection to the supply; and (ii) before connection to the supply, the water undertaker or their appointed agent must carry out tests on the filtrate water to establish that use of the contact bed will not cause any adverse effect on the quality of water to be put into supply. These tests must include measurement of chlorine demand and a qualitative odour assessment, as well as tests to confirm that leaching of activating agents or any other substance used in the preparation or regeneration of the product will not cause a contravention of the standards prescribed in the relevant regulations .</i>	the primary function of granular activated alumina is as an adsorbent for the removal of inorganic ions; particularly fluoride, arsenate, chromate and polar organic contaminants. The primary function of granular activated carbon is as an adsorbent for the removal of trace organic contaminants (e.g. Pesticides, chlorinated solvents, oils), taste and odour-producing compounds and trihalomethane precursors.
12915 - 1: 2009	Granular activated carbon. Part 1: Virgin GAC		
12915 - 2: 2009	Granular activated carbon. Part 2: Reactivated GAC		
12907: 2009	Pyrolised coal material		

BS EN	Title	Additional National Conditions of Use	
12901: 1999	Inorganic supporting and filtering materials – Definitions	<i>None</i>	
15029: 2006	Iron (III) hydroxide oxide	<i>None</i>	the primary function of iron (III) hydroxide oxide is as an adsorbent for the removal of inorganic ions; particularly arsenic, arsenate, phosphate, antimony compounds, other trace metals and polar organic contaminants.
14369: 2003	Iron-coated granular activated alumina	<i>None</i>	the primary function of iron-coated granular activate alumina is as an adsorbent for the removal of inorganic ions; particularly fluoride, arsenate and polar organic contaminants.
13752: 2009	Manganese dioxide	<i>None</i>	used as a catalytic filtering material for the removal of iron and manganese from water
14368: 2003	Manganese dioxide coated limestone	<i>None</i>	Catalytic filtering medium for removal of iron and manganese
12911: 2006	Manganese greensand	<i>None</i>	the primary function of manganese greensand is for removal of iron, manganese and hydrogen sulfide from water.
15795: 2010	Natural Unexpanded Aluminosilicates	Under consideration – please seek advice from DWI	used as filtering materials or as supporting material in multilayer filters.
12903: 2009	Powered activated carbon	<i>The dose must not exceed 100 mg l⁻¹.</i>	used as an adsorbent for the removal of trace organic contaminants (e.g. Pesticides, chlorinated solvents, oils) taste and odour-producing compounds and trihalomethane precursors.
12913: 2005	Powdered diatomaceous earth	<i>None</i>	used to remove solid contaminants from water by retention
12914: 2005	Powdered perlite	<i>None</i>	used to remove solid contaminants from water.
12906: 2005	Pumice	<i>None</i>	used as a filtering material
12904: 2005	Silica sand and silica gravel	<i>None</i>	used as filtering of supporting materials

2.3 British Standards BS EN on the Influence of Materials on Water Intended for Human Consumption

BS EN	Title
1302: 1999	Aluminium based co-agulants – Analytical methods
1420-1: 1999	Influence of organic materials on water intended for human consumption – Determination of odour and flavour assessment of water in piping systems
12485: 2010	Calcium carbonate, high-calcium lime and half burnt dolomite - Test methods
12873-1: 2003	Influence of materials on water intended for human consumption – Influence due to migration – Part 1: Test method for non-metallic and non-cementitious factory made products
12873-2: 2005	Influence of materials on water intended for human consumption – Influence due to migration – Part 2: Test method for non-metallic and non-cementitious site – applied materials
12873-3: 2006	Influence of materials on water intended for human consumption – Influence due to migration – Part 3: Test method for ion exchange and adsorbent resins
12873-4: 2006	Influence of materials on water intended for human consumption – Influence due to migration – Part 4: Test method for water treatment membranes
12902: 2004	Inorganic supporting and filtering materials – Methods of test
13052-1: 2001	Influence of materials on water intended for human consumption – Organic materials – Determination of colour and turbidity of water in piping systems – Part 1: Test method
14395-1: 2004	Influence of materials on water intended for human consumption – Organoleptic assessment of water in storage systems – Part 1: Test method
14718: 2006	Influence of organic materials on water intended for human consumption – Determination of the chlorine demand – Test Method
14944-1: 2006	Influence of factory made cementitious products on organoleptic parameters – Test methods – Part 1: Influence of factory made cementitious products on organoleptic parameters
14944-3: 2007	Influence of factory made cementitious products on organoleptic parameters – Test methods – Part 3: Migration of substances from factory-made cementitious products
15664-1: 2008	Influence of metallic materials on water intended for human consumption – Dynamic rig test for assessment of metal release – Part 1: Design and operation
15664-2:2010	Influence of metallic materials on water intended for human consumption – Dynamic rig test for assessment of metal release – Part 2: Test Waters

2.4 List of Authorised Cement Admixture Components

The following list gives the chemical identity of admixture components considered acceptable for use in cement admixtures for use in concrete in contact with water in water retaining structures, providing the admixture is not added to the concrete at a concentration exceeding the manufacturer's recommended dose.

ADMIXTURE COMPONENT	USED AS
Abietic acid salts	Air entrainer
Acetic Acid	pH Balance
Aluminates, sodium or potassium	Accelerator
Aluminium hydroxides, amorphous	Accelerator
Anionic surfactants	Air entrainer
Butyl stearate	Waterproofing/ water repellent
Carbonate, sodium or potassium	Accelerator
Cellulose ethers	Stabiliser/pumping aid
Citric acid	Retarder
Decanoate, sodium	Air entrainer
Dimethylsiloxane, poly-	Defoamer agent for plasticisers/ superplasticisers
Dodecyl benzene sulphonate, sodium	Air entrainer
Fatty acid soaps	Waterproofing/ water repellent
Formate, calcium	Accelerator
Gluconic and Heptonic acid salts	Retarder/ water reducer/ plasticiser
Lauryl ether sulphate, sodium	Air entrainer
Lignosulphonates	Water reducer/ plasticiser
Mono and di saccharides, eg sucrose, xylose	Retarder
Nitrate, calcium, sodium or potassium	Accelerator
Oleic acid and salts	Waterproofing/ water repellent
Oxalate, lithium	Accelerator
Polysaccharides	Water reducer/ plasticiser
Phosphate, dibutyl	Defoamer agent for plasticisers/ superplasticisers
Phosphate, tributyl	Defoamer agent for plasticisers/ superplasticisers
Phosphates (inorganic)	Retarder
Phosphonates (organic)	Retarder
Polycarboxylate/ polyether copolymer	Superplasticiser
Silicates, sodium	Accelerator/ waterproofing
Starch ethers	Stabiliser/pumping aid
Stearate salts	Waterproofing/ water repellent
Sulphonated melamine formaldehyde condensate	Superplasticiser
Sulphonated naphthalene formaldehyde condensate	Superplasticiser
Tartaric acid	Retarder
Thiocyanate, sodium	Accelerator
Triethanolamine	Water reducer/ plasticiser

Note 1: Biocides/ preservative and agents, antifoam/ air control agents, present in the admixture at less than 1.0% in total and the dilution water used in cement admixture formulations are excluded from the requirement for authorisation.

Note 2: The use of ferrous or stannous sulphate is acceptable as reducing agents to control concentrations of hexavalent chromium (VI) in cement.

Note 3: Fibre additions to concrete - , the use of polymeric or carbon reinforcing fibres should not be a cause for concern, providing that either -

- concrete made with them, at the proposed concentration/level conforms with the requirements of BS 6920 odour and flavour and growth of aquatic microorganisms tests OR
- the reinforcing fibres have already met the requirements of BS 6920

RECOGNISED MATERIALS FOR USE IN THE MANUFACTURE OR ASSEMBLY OF PRODUCTS

The only products approved under the relevant regulations are those that will be supplied directly to drinking water suppliers for use in direct contact with water intended for human consumption. Materials used to make products used in water networks, treatment plants etc., are outside the scope of this remit and are not, therefore included in this List.

However it has proved helpful to manufacturers and suppliers of such products to provide details of suitable materials known not to have adverse effects on water quality or pose unacceptable health risks to consumers. Details of such “recognised materials” are incorporated into Advice Sheet 5, and cover particular grades of materials for use in the –

- extrusion of thermoplastics pipes
- factory application of coatings to products
- manufacture/fabrication of stainless steel structures

Advice Sheet 5 explains, in detail, how applications for approval of products made from these recognised grades of specific material types are handled. The listing of recognised materials in the Annexes of this Advice sheet does **NOT** imply –

- a) recommendation or approval of the material by DWI
- b) that products made from the grades listed will have suitable fitness for purpose qualities for their proposed use
- c) that no further testing will be required before a recommendation for approval can be made

NOTE - these materials have NOT been approved under the relevant Regulations , but are “recognised” as suitable for use in the manufacture of such products, subject to satisfactory results in any subsequent limited testing required. See Advice Sheet 5 for further information, including how to gain recognised status for a particular material – <http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet5.pdf>

ANNEX 4**MANUFACTURERS' AND SUPPLIERS' ADDRESSES****ABC Stainless Steel Ltd**

Empson Road
Eastern Industry
Peterborough
PE1 5UP
Tel: 01733 314515

Airedale Chemical

Company Ltd
Airedale Mills
Skipton Road
Crosshills, Keighley
West Yorkshire
BD20 7BX
Tel: 01535 637876

**AJ Engineering &
Construction Services Ltd**

West Road
Greshop Industrial Estate
Forres
Moray
IV36 2GW
Tel: 01309 671919

Alpha Plus Ltd

336 Coleford Rd
Darnall
Sheffield, South Yorkshire
S9 5PH
Tel: 0114 243 3594

Amari Metals Ltd

The Hershams Centre
Hershams Green
Hershams
Surrey
KT12 4HP
Tel: 01932 250100

Amazon Filters Ltd

Albany Park Estate
Frimley Rd
Camberley
Surrey
GU16 7PG
Tel: 01276 670600

AMT Systems Ltd

Unit 14, West Stocwith Park
Stockwith Road
Misterton
Doncaster
DN10 4ES
Tel: 01427 890022

**Amiad Filtration Systems
Ltd**

Kibbutz Amiad
D.N. Galilelyon 1
12335 Israel
Tel: 00972 4690 9500

AMT Systems Ltd

Unit 14
West Stockwith Business
Park
Stockwith Road
Misterton
Doncaster
DN10 4ES
Tel: 01427 890022

Angus Flexible Pipelines

Station Road
Bentham
Lancaster
LA2 7NA
Tel: 01524 264000

**Arlington Packaging
(Rental) Ltd**

Units 16/17
Salisbury Road
Business Park
Pewsey
SN9 5PZ, England
Tel: 01672 563723

**APT Marine Engineering
Ltd**

Humber Bank South
Fish Docks
Grimsby
North East Lincolnshire
DN31 3SD
Tel: 01472 362550

Aqua Cure plc

Aqua Cure House
Hall Street
Southport, Merseyside
PR9 0SE
Tel: 01704 516 916

Aquabiotics Pty Ltd

14 Goongarrie Street
Bayswater 6053
Western Australia
Tel: 0061 89379 2911

Aquatreat Group Ltd

Stanley House
9 Bunting Close
Mitcham
Surrey
CR4 4ND
Tel: 020 8401 8391

Arch Chemicals S.A

28 Rue Jean Jaures
BP 2016
Les Mureaux Cedex
France
78132
Tel: 0033 130 999900

**Arkal Filtration Systems
CS Ltd**

Kibbutz Bet Zera
MP Jordan Valley 15135
Israel
Tel: 00972 6 6775140

**Ashland Industries UK
Ltd**

Alfreton Trading Estate
Somercotes
Derbyshire DE55 4LR
Tel: 01642 822298

Asset International Ltd

Stephenson Street
Newport
South Wales
NP19 4XH
Tel: 01633 273081

ASD Metal Services
Valley Farm Road
Stourton
Leeds
West Yorkshire
LS10 1SD
Tel: 0113 2540711

Atkinson Chemicals Ltd
24 High Street
Twyford
Reading
Berkshire
RG10 9AB
Tel: 01734 342289

Avista Technologies (UK) Ltd
Waterside House
PO Box 28612
Edinburgh
EH14 5ZL
Tel: 0131 449 6677

Aztec Environmental Controls
Sittingbourne Industrial Park
Crown Quay Lane
Sittingbourne
Kent
ME10 3JG
Tel: 01795 476241

Barnard Ltd
Lower Tower Street
Birmingham
B19 3NL
Tel: 0121 359 5531

Barrier Limited
Pearl Buildings
Stephenson Street
Willington Quay
Wallsend
NE28 6UE
Tel: 0191 262 0510

BASF Construction Chemicals (UK) Ltd
19 Broad Ground Road
Lakeside, Redditch,
Worcestershire, B98 8YP
Tel: 01527 5052

BASF Performance Products plc
PO Box 38
Bradford
West Yorks
BD12 0JZ
Tel: 01274 417000

BioBullets Ltd
2 Fitzhardinge Street
London
W1H 6EE
Tel: 01223 338311

BOC
Water Treatment Technologies
26 Nailsworth Mills Estate
Nailsworth
Gloucestershire
GL6 0BS
Tel: 01453 836621

Boode UK Ltd
22-23 Brindley Road
Dodwells Bridge Ind Estate
Hinckley
Leicestershire
LE10 3BY
Tel: 01455 611317

Bournemouth and West Hampshire Water Plc
George Jessel House
Francis Avenue
Bournemouth
BH11 8NB
Tel: 01202 597020

Brenntag UK & Ireland
Fodens Business Centre
Moss Lane
Sandbach
Cheshire
CW11 3AE
Tel: 01270 759759

British Cement Association
Riverside House
4 Meadows Business Park
Station Approach
Blackwater
Camberley
Surrey
GU17 9AB
Tel: 01276 608700

BSR Pipeline Services Ltd
Brenda Road
Hartlepool
S25 2EG
Tel: 01429 527286

BSS Industrial
Fleet House
Lee Circle
Leicester
LE1 3QQ
Tel: 0116 2623232

Buderus Giesserei Wetzlar GmbH
Pipe Casting Division
Sophiestraße 52-54
35576 Wetzlar
Germany
Tel: 0049 64 41 49 15 62

BWA Water Additives UK Ltd
2 Brightgate Way
Stretford
Manchester
M32 0TB
Tel: 0161 864 6699

Carus Chemical Company
315 5th Street
Peru IL 61329
USA
Tel: 001 815 223 1500

Celtic Vacuum Ltd
The Salterns
Marsh Road
Tenby
Pembrokeshire
SA70 8EP
Tel: 01834 845511

Centraltubi SPA
Via Foglia 11
61020 Lunano
Italy
Tel: 0039 335441644

Ceratherm Ltd
11 Mill Hey Road
Caldy
Wirral
CH48 1ND
Tel: 0870 121 2880

Clinty Chemicals Ltd
215 Doury Rd
Ballymena
CO Antrim
BT43 6SS

**Compressor & Power
Engineers Ltd**
Apollo
Lichfield Road In Est
Tamworth
B79 7TA
Tel: 01827 68710

Conline Coatings B.V.
Adriaan van Heelstraat 19
Postbus 96
3140 ab maassluis
The Netherlands
Tel: 0031 (010) 5931400

**Corroless Corrosion
Control**
Kelvin Way
West Bromwich
West Midlands
B70 7JZ
Tel: 0121 524 2235

**Corrosion Protection
Products**
3M United Kingdom PLC
Standard Way
Northallerton
North Yorkshire
DL6 2XA
Tel: 01609 780170

**Crossland Tankers
(Burnley) Ltd**
Shuttlework Mead Business
Park
Blackburn Road
Burnley
BB12 7SN
Tel: 01282 775500

Damstahl Stainless Ltd
Halesfield 4
Telford
Shropshire
TF7 4AP
Tel: 01952 583999

Degremont UK Limited
Water and Waste Treatment
Gainsborough House
Houghton Hall Park,
Houghton Regis
Dunstable, Bedfordshire
LU5 5TD
Tel: 01582 631111

DH Stainless Ltd
Springvale Mill
Waterside Road
Haslingdon, Lancashire
BB4 SE2
Tel: 01706 230066

**DRC Polymer Products
Ltd**
1 Regal Lane, Soham
Ely, Cambs
CB7 5BA
Tel: 01353 720989

Dryden Aqua Ltd
Butlerfield
Bonnyrigg
Edinburgh
EH19 3JQ
Tel: 01875 822222

Duktus
**Duktus Rohrsysteme
Wetzlar GmbH**
Sophienstrasse 52-54
35576 Wetzlar
Germany
Tel :01650 521806

Durapipe UK
Walsall Road
Norton Canes
Cannock
Staffordshire WS11 3PU
Tel: 01543 279909

Dustacco Engineering Ltd
Tower works
Stoneygate Road
Newmilns
Ayrshire
KA16 9AJ
Tel: 01560 321394

Dyka B.V.
Postbus 33
8330 AA Steenwijk
The Netherlands

Dyka Plastics NV
Nolimpark 4004
Sturfzandstraat 47
B-3900 Overpelt
Belgium
Tel: 0032 11 80 04 20

Dyka (UK) Ltd
65-69 Ellingham Way
Ashford, Kent
TN23 6JU
Tel: 01233 634438

EBERO Pipe Systems Ltd
Turnoaks Business Park
Burley Close
Chesterfield
S40 2UB
Tel: 01246 563153

**Egeplast Werner
Strumann GmbH &Co**
Roberts-Bosch-Str.7
D-48268 Greven
Germany

Elastogran GmbH
Elastogranstrasse 60
49448 Lemförde
Germany
Tel: 0049 5443 12 4250

Electrosteel Castings Ltd
30 B. T. Road
P. O. Sukchar
Dist. 24 Parganas (North)
West Bengal
INDIA
Tel: 0091 33 553 2958/2987

EPSCO Ltd
Arran Road
Perth, Perthshire
Scotland
PH1 3DZ

Erciyas Celik Boru Sanayi A.S
Degirmen Sokak No18
Nida Kule Kat 20
34742 Kozyatagi
Istanbul Turkey
Tel: 0090 216 410 8230

EUPEC
Site De Dunkerque
Route de Fort-Mardyck –
B.P.191
59760 Grand-Synthe
France
Tel: 0033 328 580220

Fileder Filter Systems
St Leonard's Rd
20/20
Maidstone
Kent
ME16 0LS
Tel: 01622 621949

Flexcrete Technologies Ltd
Tomlinson Road,
Leyland, Lancashire
PR25 2DY
Tel: 0845 260 7005

Flo-dyne Ltd
Flo-dyne place
Asheridge Road
Chesham
Bucks HP5 2PT
Tel: 014494 770088

Forbes Technology Ltd
Denver, Downham Market
Norfolk
PE38 0DR
Tel: 01366 388941

Fosroc Ltd
Drayton Manor Business
Park, Coleshill Road,
Tamworth
Staffs, B78 3TL
Tel: 01827 262222

Floran Technologies Inc
801 SW 89th Street
Bldg. B
Oklahoma City
USA, OK 73139
Tel: 001 405 631-1558

Frazer & Tabberer Ltd
Unit 6
Riland Industrial Estate
Sutton Coldfield
West Midlands
B75 7BB
Tel: 0121 311 2606

Freeflow Pipesystems Ltd
Autobase Industrial Park
Tipton Road
Tividale
Oldbury
West Midlands, B69 3HE
Tel: 0121 522 3552

Fuchs Rohr GmbH
In Der Steinwiese 31
D-57074 Siegen
Germany

Fusion Provida
Smeakley Wood Close
Chesterfield Trading Est
Chesterfield
S41 9PZ
Tel: 01246 260111

Future Pipe Industries B.V
Level 1, Whitlock House
6 Earls Court Road
LONDON
W8 6EA
Tel: 020 7938 4942

Gallagher & McKinney Ltd
Carrakeel Drive
Maydown Industrial Estate,
Derry
Northern Ireland
BT47 6UQ
Tel: 02871 861069

GB Filters Ltd
37 Hanbury Rd
Widford Industrial Estate
Chelmsford
Essex
CM1 3AE
Tel: 01245 240880

GE Betz Ltd
Foundry Lane
Ditton
Widnes
Cheshire
WA8 8UD
Tel: 0151 424 5351

Genesys International Ltd
Genesys House
204 Lent Rise Road
Burnham
Bucks
SL1 7AB
Tel: 01628 667605

George Fischer Sales Ltd
Paradise Way
Coventry
CV2 2ST
Tel: 024 7653 0450

George Green (Keighley) Ltd

Parkwood Works
Parkwood Street
Keighley
West Yorkshire
BD21 4PN
Tel: 01535 603728

GPS

Walsall Road
Norton Canes
Cannock
Staffordshire
WS11 3NS
Tel: 01543 279909

Goldcrest Chemicals Ltd

Dodworth Business Park
Great Cliffe Road
Dodworth
Barnsley
South Yorkshire
S75 3SP
Tel: 01226 720100

Gulf Specialised Water Services Ltd

PO Box 158
Plymouth
PL6 7WE
Tel: 01752 773071

Grundfos Water Treatment

Reetzstrasse 85
D76327 Pfinztal
Germany
Tel: 0049 7240 610

Hepworth Building Products Ltd

Edlington Lane,
Edlington,
Doncaster,
DN12 1BY
Tel: 01709 856300

Hydranautics BV

PO Box 4006
Pangbourne
RG8 7WB
Tel: 0118 984 3106

Iniziativa Industriali SpA (Sarplast)

Via Roginanina 14
Localita Macchiaverde
56040 Santa Luce (Pisa)
ITALY
Tel: 0039 050 691 745

Ionics (UK) Ltd

Unit 1, Gnd Floor, HQ3
225 Hook Rise South,
SURBITON, KT6 7LD
Tel: 020 8391 7980

IQL Ltd

Stirling Road
Cressex Business Park,
High Wycombe
Bucks HP12 3ST
Tel: 01494 463636

Irathane Futura A Division of ITW Ltd

Unit 3 Shipton Way
Express Business Park
Northampton Road
Rushden
Northamptonshire
NN10 6GL
Tel: 0870 458 7336

ITT Lowara UK Ltd

Millway Rise Industrial
Estate
Axminster
Devon EX13 5HU
Tel: 01297 630200

ITT Water and Waste water Leopold Inc

227 South Division Street
Zelienople, PA
16001 USA

JFC Manufacturing (Europe) Ltd

Maes Y Clawydd Industrial
Estate
Maesbury Road
Oswestry
Shropshire SY10 8NN
Tel: 01403 892502

Jindal Saw Ltd

Jindal Centre
12 Bhikaiji Cama Place
New Delhi - 110 006
Tel: +91 11 4146 2216

J.K Fabrications Limited

Unit 5
Carnbane Business Park
Newry
Co. Down,
BT35 6QH
Tel: 028 3025 2142

Johnson Filtration System

Zone Industrielle
Availlies-en-Châtellerault
86530 France
Tel (F): 0033 549 021600
Tel (UK): 07979 691415

Kalsep UK Ltd

2F Albany Park
Frimley Road
Camberley
Surrey
GU16 7PL
Tel: 01276 675675

Kemira Chemicals b.v

Kemira Water Solutions BV
Botlekweg 175
3197 KA Botlek Rotterdam
The Netherlands
Tel: 0031 181 295 800

Kingspan Environmental Containers

Seapatrick Road
Banbridge
Co. Down
BT32 4PH
Tel: 028 4062 6260

Koch Membrane Systems

Units 3-6
First Floor
Greyfriars Business Park
Frank Foley Way
Stafford
ST16 2ST
Tel: 01785 272500

KWH Pipe (UK) Ltd

Reg. Office
Brunleys
Kiln Farm
Milton Keynes
MK11 3EW

Tel: 01908 262426

Lancashire Fittings Ltd

The Science Village
Claro Road
Harrogate
HG1 4AF

Tel: 01423 522355

Leighs Paints

Tower Works
Kestor Street
Bolton
BL2 2AL

Tel: 01204 521771

L.E.S Engineering Ltd

Armstrong St
West Marsh Ind Est
Grimsby
North East Lincs
DN31 1XD

Tel: 01472 353516

Leyfos Plastics Limited

Rosehill Industrial Estate
Tern Hill
Nr Market Drayton
Shropshire
TF9 2JU

Tel: 01630 638557

Metal Cleaning UK Ltd

Knowsley Business Park
Knowsley
Merseyside
L34 9HX

Tel : 0151 549 2322

Midas Technologies (GB) Ltd

Unit A Roundhouse Close
Eastern Industry
Petersborough
PE1 5TA

Tel: 01733 342600

Midland Wire Cordage Co Ltd

Wire Rope House
Eagle Road
North Moons Moat
Redditch
Worcestershire
B98 9HF

Tel: 01527 594150

MMP Fabrications Ltd

Highfield Works
Highfield Industrial Estate
West End Street
Oldham, OL9 6AJ

Tel: 0161 624 3303

MorganEST

MorganEst House
Corporation St
Rugby
Warwickshire
CB21 2DW

Tel: 01788 534665

Nalco Europe b.v

PO Box 11
Winnington Avenue
Northwich
Cheshire
CW8 4DX

Tel: 01606 721629

Natural Cement Distribution Ltd

Unit 12, Redbrook Business
Park
Wilthorpe Road
Barnsley
South Yorkshire
S75 1JN

Tel: 01226 299333

Nijhuis Water Technology B.V.

Anholteseweg 32
Dinxperlo
The Netherlands
7091 HB

Tel: 0031 315 655 494

NKT Flexibles

Priorparken 510,
DK-2605 Brøndby,
Denmark

Tel: 0045 4348 3000

Noksel Steel Pipe Co Inc

Çetin Emeç Bulvarı 2. CAD
No:10
Överçler/Ankara – Turkey
06450

Tel: 0090 312 472 59 59

Northpoint Ltd

Globe Lane
Dukinfield
Cheshire SK16 4UY

Tel: 0161 330 4551

Orica UK Limited

Watercare Europe
Roburite Centre
Gathurst Lane
Shevington – Wigan
Lancashire
WN6 8HT

Tel: 01257 256100

Orrmac Coatings Limited

Thornccliffe Park Estate
Chapelton
Sheffield
S35 2PH

Tel: 0114 246 1237/245 4211

OTV Ltd

I-Aquarene
1 Place Montgolfier
94417 Saint-Maurice Cedex
France

Tel: 0033 5 45 11 55 35

Outokumpu Stainless Ltd

PO Box 161
Shepcote Lane
Sheffield Lane
Sheffield
S9 1TR

Tel: 0114 261 4217

Pall Europe Ltd

Europa House
Havant Street
Portsmouth
PO1 3DD
Tel: 01705 303303

Panton McLeod Ltd

Waverley Place
Newtown St Boswells
Melrose
TD6 0RS
Tel: 01835 822835

Paques B.V.

T. de Boerstraat 24
PO Box 52
8560 AB Balk
The Netherlands
Tel: 0031 514 608500

**Passavant-Roediger-
Anlagenbau GmbH**

Kinzigheimer Weg 104-106
63450 Hanau
Germany

**PCI Membrane Systems
Ltd**

Viables Estate
Basingstoke
Hampshire
RG22 4BA
Tel: 01256 303800

**Pentair Water India Pvt
Ltd**

L-52-55 Verna Industrial
Estate
Verna
Salcette
Goa-403722
India
Tel: 0091 832 2883300

**Permacare - Membrane
Separations Group**

Ondeo Nalco Ltd
PO Box 11
Northwich
Cheshire
CW8 4DX
Tel: 0160 674488

Permastore Ltd

EYE
Suffolk
IP23 7HS
Tel: 01379 870723

Pipelife Norge AS

Postboks 74
Skherkoya
N-3995 Stathelle
Norway

Plasmor Ltd

PO Box 44
Womersley Road
Knottingley
WF11 0DN
Tel:

Plastic Coatings Ltd

Southern Division
Woodbridge Meadows
Guilford, Surrey
DU1 1BG

Polypipe (Ulster) Ltd

Dromore Road
Lurgan
Craigavon
Co. Armagh
BT66 7HL

**Polypipe Building
Products**

Broomhouse Lane
Edlington
Doncaster
DN12 1ES
Tel: 01709 770000

**Portobello Fabrications
Ltd**

3 Longacre Close
Holbrook
Sheffield
S20 3FR
Tel: 0870 4284406

**Powerrun Project
Management Ltd**

Prospect Works
South Street
Keighley
West Yorkshire
Tel: 01535 667614

**Pridesa Proyectos e
Instalaciones de
Desalación S.A.**

C/ Ramon Rubial nº 2
48950 Erandio
Vizcaya
Spain
Tel: 0034 94 605 0700

**Professional Water
Technologies Inc**

1048 La Mirada Court
Vista
CA
USA
92056
Tel: 001 760 639 4400

Purac Limited

Purac House
Birmingham Road
Kiddeminster
Worcestershire
DY10 2SH
Tel: 01562 820010

Purolite International Ltd

Cowbridge Road
Pontyclun
Mid Glamorgan
CF72 8YL
Tel: 01443 229 334

Quality Plastics Ltd

PO Box 29
White's Cross
Cork
Ireland
Tel: 00353 21 884700

**Quantum Engineering
Developments Ltd**

Quantum House
West Court
Saxon Park
Stoke Prior
Bromsgrove
Worcs. B60 4AD
Tel: 01527 577888

Radius Systems Ltd

Hilcote Plant
P.O. Box 1
Blackwell
Nr Alfreton
Derbyshire
DE55 5JD
Tel: 01773 811112

Rapak

Butlers Leap
Clifton Road
Rugby
Warwickshire
CV21 3RQ
Tel: 01788 570612

RA Materials

Park Works,
Grimshaw Lane
Newton Heath,
Manchester
M40 2BA
Tel: 0161 954 4213

R Späne GmbH

Schafmatt 5
D-79618
Rheinfelden
Germany
ROAM chemie NV
Industrieterrein Centrum
Zuid 2053
3530 Houthallen
Belgium

Tel: 0032 11 60 2978

Rohm and Haas Ltd

Herald way
Coventry
CV3 2RQ
Tel: 02476 653 760

**Saint-Gobain PAM UK
Ltd**

Lows Lane
Stanton-By-Dale
Ilkeston
Derbyshire, DE7 4QU
Tel: 0115 930 5000

Samuel Cooke & Co Ltd

The Oil Terminal
Wyre Street
Padiham, Burnley
BB12 8DF
Tel: 01282 777797

**Sandvik Materials
Technology UK**

Manor Way
Halesowen
West Midlands
B62 8QZ
Tel: 0121 504 5111

Scotmas Ltd

Spylaw Road
Kelso
The Scottish Borders
TD5 8DN
Tel: 01573 226901

Scottish Water Solutions

Torridon House
Beechwood Business Park
Inverness
IV2 3BV
Tel: 01463 228 102

Sertubi Spa

Via K.L. Von Bruck 32
34143 Trieste
ITALY
Tel: 0039 040 31 73 111

Severn Trent Services Ltd

Arley Drive
Birch Coppice Business
Park
Dordon
Tamworth
B78 1SA
Tel: 01827 266000

Siemens plc

Outram's Wharf
Alfreton Road
Little Eaton
Derbyshire
DE21 5EL
Tel: 01332 387300

Sika Ltd

Watchmead
Welwyn Garden City
Herts., AL7 1BQ
Tel: 01707 329241

**Silotank (Digestors, Silos
& Tanks) Ltd**

Pembroke Loop Road
Springbank Industrial Estate
Poleglass, Dunmurry
Belfast
BT17 0QL
Tel: 02890 626256

Simona UK Ltd

Telford Drive
Brookmead Industrial Park
Stafford
ST16 3ST
Tel: 01785 222444

Sitemech Utilities Ltd

Porrit St
Bury
Lancs
BL9 6HJ
Tel: 0161 7643901

Snap-Tite Europe. B.V.

Industrial Estate
Whitemill
Wexford
Republic of Ireland
Tel: 00353 53914 1566

Stainless Metric Stock Ltd

PO Box 17
Bull Hill Works
Bolton Road
Darwen
Lancashire, BB3 2TT
Tel: 01254 775133

Staptina Engineering Services Ltd

Pennine Works
Grantham Road
Boothtown, Halifax
W. Yorkshire, HX3 6PL
Tel: 01422 350357

Stevens Geomembranes - JPS Elastomerics

Nine Sullivan Road
Holyoke
MA 01040 2800
USA
Tel: 001 413 552 1000

STS Tubular Group

Gasteizbide s/n
Alegría- Dulantzi
01240 (Álava) Spain
Tel: 0034 945 420050

Subterra – a division of Daniels Contractors Ltd

Unit 6-8 Middle Rd
Bailie Gate Industrial Estate
Sturminster Marshall
Dorset
BH21 4DB
Tel: 01258 857556

Swissteril International 5755 Ltd

5 HaChita Street
Post Office Box 10079
Haifa Bay 26110
Israel
Tel: 00972 4 8410114/5/6

TBS Elastomers

Suite 3D, Willow House
Stratclyde Business Park
Bellshill,
Lanarkshire, Scotland
ML43PB
Tel: 01698 464 621

Tevan B.V.

4200 AA Gorinchem
The Netherlands
Tel: 0031 183 621799

Trailer Engineering Ltd

Central Avenue
Corngreaves Trading Estate
Cradley Heath
West Midlands
B64 7BY England
Tel: 01384 564765

Uponor Ltd

Bishopstown
Cork
Ireland
Tel: 00353 (0) 21 4541834

USFilter-Memcor, Microfloc and General Filter Products

600 Arrasmith Trail
Ames, Iowa
USA
50010-9760
Tel: 001 515-268-8500

Vandex International Ltd

Rottristrasse 6,
P.O.Box
CH-4501
Solothurn
Switzerland
Tel: 0041 32 626 36 36

Varis Engineering Ltd

10-12 West Road
Greshop Industrial Estate
Forres
Moray
IV36 2GW
Tel: 01309 671211

Veolia Water Systems Ltd

Aqua House
2620 King's Court
Birmingham Business Park
Birmingham
B37 7YE
Tel: 0121 329 4000

Vexamus Water Ltd

Kiln Lane
Prickwillow Road
Ely
Cambridgeshire
CB7 4TX
Tel: 01 353 645 700

Vulcan Tanks Ltd

Cotes Park Lane
Cotes Park Industrial Estate
Alfreton, Derbyshire
DE55 4NJ
Tel: 01773 835321

W7TER Ltd

G20 Ashmount Business
Park
Swansea
SA6 8QR
Tel: 01792 775551

Wallace and Tiernan Ltd

Priory Works
Tonbridge
Kent
TN11 0QL
Tel: 01732 771777

Waterman Environmental Services Ltd

Unit 36
Minworth Industrial Park
Forge Lane
Minworth
Sutton Coldfield
West Midlands
B76 1AH
Tel: 0121 352 3700

Water-Line Solutions Ltd

Lilford Lodge Farm
Barnwell near Oundle
Northants
PE8 5SA
Tel: 01832 272725

**Water Treatment
Products Limited**

Gilchrist Thomas Industrial
Estate
Blaenavon
Pontypool
NP4 9RL
Tel: 01495792090

Wavin Ireland Ltd

Balbriggan
Co. Dublin
Ireland
Tel: 00353 1 841 5000

Wavin Plastics Ltd

Meadowfield Industrial
Estate
Meadowfield
Brandon
Durham
DH7 8RJ
Tel: 0191 378 0841

Western

Western House
Broad Lane
Yate, Bristol,
BS37 7LB
Tel: 01454 227277

Whale Tankers Ltd

Ravenshaw
Solihull
West Midlands B91 2SU

Wolseley UK Ltd

The Wolseley Centre
Harrison Way
Leamington
CV31 3HH
Tel: 01926 705803

X-FLOW B.V.

PO Box 739
7500 AS ENSCHEDE
The Netherlands
Tel: 0031 53 428 7350

Xypex (UK) LLP

Unit 7 Britannia Business
Centre
Britannia Way
Malvern
Worcestershire
WR14 1GZ
Tel: 0121 704 5759

Zenon Environmental Inc

5316 John Lucas Drive
Burlington
Canada, L7L 6A6
Tel: 001 905 332 6694

Zenon Europe Kft

Bláthy O. 4
H-2840 Oroszlány
Hungary
Tel: 0036 34 561 500